



SECTION

Q

DRILLS
SAWS AND
AWLS



200-124-140
Awl with T-Handle
150mm, 6"



Perthes
200-122-210
Reamer, square
220mm, 8^{3/4}"




200-120-140
Reamer, Ø 2.5 - 3.5mm
160mm, 6^{3/4}"



Perthes
200-160-210
Bone Drill
210mm, 8^{1/4}"




Championniere
200-160-170
Bone Drill
170mm, 6^{3/4}"



Obwegeser
430-500-230
Awl
230mm, 9"



Obwegeser
430-504-180
Awl
180mm, 7"



Brunner
200-124-230
Awl, malleable
230mm, 9"



Brunner
200-122-300
Awl, curved
300mm, 12"



Stille
200-144-200
complete with 4
drills and burrs
Ø 2.5 - 4.0mm

200-144-000
Brace only



Stille-Sherman
200-140-240
complete with 3 drills
Ø 2.5 - 3.5mm

200-140-200
Brace only



Twist drills	Ø	length
200-145-010	1.0mm	56mm
200-145-015	1.5mm	61mm
200-145-020	2.0mm	66mm
200-145-025	2.5mm	81mm
200-145-030	3.0mm	81mm
200-145-035	3.5mm	86mm
200-145-040	4.0mm	86mm


1



2



1 Burrs	Ø	length
200-145-050	5.0mm	60mm
200-145-080	8.0mm	60mm
200-145-120	12.0mm	60mm
200-145-160	16.0mm	60mm
2 Trephine		
200-145-100	10.0mm	60mm



	Ø	length
200-156-002	3.2mm	70mm
200-156-003	3.2mm	90mm

Moore
200-156-280
 complete with
 2 twist drills 200-156-002
 1 twist drill 200-156-003


200-156-200
 Brace only



Bunnell
200-154-160
max. shanks $\varnothing$: 4.0 mm
160mm, 6¹/₄"



Bunnell
200-154-162
Key only



Bunnell
200-158-000
Hand drill with adjustable handle
with Jacobs chuck




Bunnell
200-158-001
Tightening wrench only



Ralk
200-153-005
Hand Drill, large with Jacobs-chuck and key
Ø 0-4mm



Ralk
200-153-000
Hand Drill with Jacobs-chuck and key
Ø 0-4mm



Smedberg
200-149-100
 Hand drill complete with Three-jaw chuck

200-149-101
 Tightening wrench only



200-157-000
T-Handle Drill,
Stell chuck incl. key



200-157-001
T-Handle Drill,
Stell chuck incl. key



200-157-100
T-Handle with universal chuck
1 - 6mm, cannulated
Ø 5.2mm
140mm, 5 1/2"



200-157-200
T-Handle with Roehm-chuck
0.5 - 7mm, cannulated
Ø 5.2mm, incl. key,
130mm, 5"



200-157-210
T-Handle with Jacobs-chuck
0.5 - 4mm, cannulated
Ø 5.2mm, incl. key,
120mm, 4 3/4"



200-157-250
T-Handle with universal chuck
1 - 6mm, cannulated, Ø 6.1mm,
with reverse lock, incl. key
130mm, 5"

BATTERY DRIVEN DRILL SYSTEM

The new Battery Driven Drill System is the ideal Power Tool for Orthopaedic and Traumatology Operating Rooms, as well as for Emergency Rooms.

- Solid aluminium housing
- Powerful re-chargeable battery pack with a long working time
- Fully steam and gas sterilizable
- Stepless Speed regulation
- Universal Adaptor pieces for all kinds of Burrs
- Cannulated for use with Kirschner-Wires up to 3.2mm



Cleaning channel

200-700-000
Battery driven drill system

TECHNICAL DETAILS

Operating Voltage	9.6 Volt
Speed range	0-800rpm
Power	130 Watt
Torque	4.5 NM
Weight	1050 Gramm
Cannulation	3.2mm

ACCESSORIES FOR 200-700-000

Large variety of adaptor pieces for different medical burrs



JACOBS

200-700-100
3-jaw chuck
up to 7mm



AO AESCULAP

200-700-200



DIN

200-700-300
For Aesculap
medulary Reamer



HARRIS

200-700-400



HUDSON

200-700-500



QUICK LOCK

200-700-600
For K-Wire
up to 2.5mm



200-702-001

Charging unit for 2 rechargeable batteries



200-701-100

Spare battery 9.6V



200-702-002

Charging unit for 1 rechargeable battery



Hudson

Burrs, 60mm length



200-152-001
Ø 9mm



200-152-002
Ø 14mm



200-152-003
Ø 16mm



200-152-004
Ø 22mm



200-152-009
Extension piece

Hudson Tightening screw



200-152-000
Hand Drill, complete with 4 burrs and extension
270mm, 10¹/₂"

200-150-000
Hand Drill only

Hudson Snap Lock



200-151-000
Hand Drill, complete with 4 burrs and extension
270mm, 10¹/₂"



Cushing
Flat Drill with Hudson-Connection

	Ø	length
200-152-005	14mm	95mm



Cushing
Round Drill with Hudson-Connection

	Ø	length
200-152-020	10mm	95mm
200-152-021	15mm	95mm
200-152-022	20mm	100mm



Adson
Twist Drill with Hudson-Connection

	Ø	length
200-152-006	2mm	90mm



McKenzie
Twist Drill with Hudson-Connection

	Ø	length
200-152-007	13mm	95mm



D'Errico
Twist Drill with Hudson-Connection

	Ø	length
200-152-008	16mm	95mm



Adson
Burr with Hudson-Connection

	Ø	length
200-152-012	15mm	95mm



Twist Drill with AO-Connection

	Ø	length
701-200-011	1.1mm	60mm
701-200-015	1.5mm	85mm
701-200-020	2.0mm	100mm
701-200-025	2.5mm	110mm
701-200-027	2.7mm	100mm
701-200-032	3.2mm	145mm
701-200-035	3.5mm	110mm
701-200-045	4.5mm	145mm
701-200-050	5.0mm	145mm
701-200-060	6.0mm	180mm
701-200-070	7.0mm	180mm
701-200-080	8.0mm	180mm

	Ø	length
701-200-026	2.5mm	195mm
701-200-033	3.2mm	195mm
701-200-036	3.5mm	195mm
701-200-046	4.5mm	195mm



Twist Drill with Borchardt-Connection

	Ø	length
701-192-010	1.0mm	90mm
701-192-012	1.2mm	90mm
701-192-015	1.5mm	105mm
701-192-018	1.8mm	105mm
701-192-020	2.0mm	115mm
701-192-022	2.2mm	115mm
701-192-025	2.5mm	115mm
701-192-027	2.7mm	115mm
701-192-028	2.8mm	115mm
701-192-030	3.0mm	115mm
701-192-032	3.2mm	115mm
701-192-035	3.5mm	125mm
701-192-040	4.0mm	130mm
701-192-045	4.5mm	130mm
701-192-050	5.0mm	130mm

	Ø	length
701-190-020	2.0mm	150mm
701-190-022	2.5mm	150mm
701-190-025	2.7mm	150mm
701-190-030	3.0mm	150mm
701-190-032	3.2mm	150mm
701-190-035	3.5mm	150mm
701-190-040	4.0mm	160mm
701-190-045	4.5mm	160mm
701-190-050	5.0mm	160mm
701-190-060	6.0mm	160mm



Twist Drill cylindrical

	Ø	length
701-199-010	1.0mm	56mm
701-199-011	1.1mm	60mm
701-199-012	1.2mm	65mm
701-199-015	1.5mm	70mm
701-199-018	1.8mm	80mm
701-199-020	2.0mm	85mm
701-199-022	2.2mm	90mm
701-199-025	2.5mm	95mm
701-199-027	2.7mm	100mm
701-199-028	2.8mm	100mm
701-199-030	3.0mm	100mm
701-199-032	3.2mm	106mm

	Ø	length
701-199-035	3.5mm	112mm
701-199-040	4.0mm	119mm
701-199-045	4.5mm	126mm
701-199-050	5.0mm	132mm
701-199-060	6.0mm	139mm
701-199-070	7.0mm	156mm
701-199-080	8.0mm	160mm

[illegible]