INDEX

Sets	2 - 20
Cystoscopy	21 - 34
Resectoscopy	35 - 68
Laser Enucleation	61 - 73
Urethrotome	74 - 78
Lithotripsy	79 - 83
Nephroscopy	84 - 92
Uretero - Renoscopy	93 - 98
Pediatric	99 - 112
Devices and Flexible Instruments	113 - 115
Accessories	116 - 121
Cleaning	122 - 130
Equipment	131 - 145

Products marked with this symbol are not available with RZ-marking, and not the CE sign/CE number of RZ.

RZ-Topseller products

All products marked with this green star are available on stock.

CONFIGURATIONS by RZ Cystoscope Set for adults



253-900-900 Cystoscope Set for adults

1	RZ Cystoscope, 30°, ∅ 4.0mm	253-804-030	1 pc.
2	Cysto-Urethroscope Sheath 17 Charr.	253-300-017	1 pc.
3	Cysto-Urethroscope Sheath 22 Charr.	253-300-022	1 pc.
4	Bridge with 2 channels for 1 instrument with max. 12 Charr. or 2 instruments with max. 8 Charr.	253-000-102	1 pc.
5	Albarran deflecting mechanism with 2 working channels and ratchet	253-000-105	1 pc.
6	Flexible Grasping Forceps, serrated jaws, double action	351-114-107	1 pc.
7	Biopsy Forceps, oval cup, serrated jaws, double action	351-120-107	1 pc.
8	Scissors, single action	351-100-105	1 pc.
9	Spoon Biopsy Forceps with round cup, double action	253-420-100	1 pc.
10	Dormia Metal Stone Basket, flexible, 4 wires, 600mm working length, 5 Charr.	253-585-005	1 pc.
11	Ball Electrode 530mm working length, 5 Charr.	253-370-005	1 pc.
12	Ball Electrode 530mm working length, 7 Charr.	253-370-007	1 pc.
13	Monopolar Cable with 8 mm plug for Valleylab HF-unit	253-610-003	1 pc.
14	Ellik Evacuator with turn lock connection	253-500-000	1 pc.
15	Bladder Syringe, 150cc	253-000-950	1 pc.

CONFIGURATIONS by RZ Cystoscope Set for children



253-900-918 Cystoscope Set for children

1	RZ Pediatric Fiber Cystoscope, 30°, ∅ 2.0mm	253-219-130	1 pc.
2	Pediatric Cystoscope Sheath 7.5 Charr.	253-200-075	1 pc.
3	Pediatric Cystoscope Sheath 9.5 Charr.	253-200-095	1 pc.
4	Alligator grasping forceps, 28cm length, 3 Charr.	253-202-003	1 pc.
5	Biopsy forceps, 28cm length, 3 Charr.	253-204-003	1 pc.
6	Ball electrode, 25cm length, 3 Charr.	253-370-253	1 pc.
7	Needle electrode, 25cm length, 3 Charr.	253-371-253	1 pc.
8	Monopolar Cable with 8 mm plug for Valleylab HF-unit	253-610-003	1 pc.

CONFIGURATIONS by RZ Cystoscope Set for (newborn) babies

1

2

3

4

5

6



7

8

253-900-919 Cystoscope Set for (newborn) Babies

1	Operating Cysto-Urethrotome 4.5 Charr., 5° direction of view	253-200-600	1 pc.
2	Stone Grasping Forceps, double action, 3 Charr.	253-203-128	1 pc.
3	Biopsy Forceps, double action, 3 Charr.	253-203-328	1 pc.
4	Scissors, single action, 3 Charr.	253-203-428	1 pc.
5	Ball Electrode, 3 Charr.	253-370-253	1 pc.
6	Needle electrode, 3 Charr.	253-371-253	1 pc.
7	Hook Knife, 3 Charr.	253-200-200	1 pc.
8	Injection Cannula, 3 Charr.	253-200-210	1 pc.

CONFIGURATIONS by RZ 26 Charr. Monopolar Resectoscope Set for adults



253-900-901 26 Charr. Monopolar Resectoscope Set for adults

1	RZ Cystoscope, 30°, ∅ 4.0mm	253-804-030	1 pc.
2	Passive Titanium working element	253-000-200	1 pc.
3	Continuous Flow Resectoscope Sheath, 26 Charr., with obturator	253-000-256	1 pc.
4	Visual Obturator for 4mm RZ Cystoscopes	253-000-084	1 pc.
5	Cutting Loop, angled, for 12°/30° telescope	253-300-201	1 pc.
6	Coagulation Electrode, pointed	253-300-203	1 pc.
7	Coagulation Electrode, ball shape, ∅ 3mm	253-300-205	1 pc.
8	Coagulation Electrode, ball shape, ∅ 5mm	253-300-206	1 pc.
9	Sterilization tubes for electrodes	253-300-999	1 pc.
10	Monopolar Cable with 8 mm plug for Valleylab HF-unit	253-610-003	1 pc.
11	Ellik Evacuator with turn lock connection	253-500-000	1 pc.
12	Bladder Syringe, 150cc	253-000-950	1 pc.

CONFIGURATIONS by RZ

Monopolar Resectoscope Set for children

253-900-905 Monopolar Resectoscope Set for children

1	RZ Pediatric Fiber Cystoscope, 0°, ∅ 2.0mm	253-219-100	1 pc.
2	Passive Titanium working element	253-250-200	1 pc.
3	Resectoscope Sheath 11 Charr. with obturator	253-250-211	1 pc.
4	Cutting Loop Electrode, 11 Charr.	253-251-111	1 pc.
5	Coagulation Electrode, 11 Charr.	253-251-112	1 pc.
6	Hook Electrode with ball, 11 Charr.	253-251-113	1 pc.
7	Needle Electrode, pointed, 11 Charr.	253-251-115	1 pc.
8	Monopolar Cable with 8 mm plug for Valleylab HF-unit	253-610-003	1 pc.

CONFIGURATIONS by RZ 26 Charr. Bipolar (HYBRID) Resectoscope Set for adults



253-900-911 26 Charr. Bipolar (HYBRID) Resectoscope Set for adults

1	RZ Cystoscope, 30°, ∅ 4mm	253-804-030	1 pc.
2	Passive HYBRID working element	253-000-400	1 pc.
3	Continuous Flow Resectoscope Sheath, 26 Charr.	253-000-256	1 pc.
4	Cutting Electrode	253-400-201	1 pc.
5	Collins Coagulation Electrode	253-400-203	1 pc.
6	Ball Electrode	253-400-205	1 pc.
7	Visual Obturator, with 6 Charr. working channel	253-000-094	1 pc.
8	Sterilization tube for electrodes	253-300-999	1 pc.
9	SDS Cable, 4.5m, bipolar	700-500-453	1 pc.

CONFIGURATIONS by RZ

HoLEP 22 Charr. Hybrid Resectoscope Set

1

2

3

4

5

6

7

8

22 Charr. Hybrid Resectoscope Set

1	RZ Rod Lens Cystoscope, 30°, Ø 2.9mm	351-829-030	1 pc.
2	Passive Titanium Working Element	253-000-410	1 pc.
3	Resectoscope Sheath, 22 Charr., rotating inner tube, for continuous suction / irrigation	253-000-352	1 pc.
4	Loop Electrode, 30° angled	253-000-541	1 pc.
5	Ball Electrode	253-000-545	1 pc.
6	Knife Electrode	253-000-543	1 pc.
7	Storage container for knives and electrodes, metal, perforated	253-300-999	1 pc.
8	SDS Cable, 4.5m, bipolar	700-500-543	1 pc.

CONFIGURATIONS by RZ

18.5 Charr. Bipolar (HYBRID) Resectoscope Set for adults and adolescents

1

2

3

4

5

6

7

8

9

253-900-921 18.5 Charr. Bipolar (HYBRID) Resectoscope Set for adults and adolescents

1	RZ Cystoscope, 30°, ∅ 2.9mm	253-829-030	1 pc.
2	Passive HYBRID working element	351-400-200	1 pc.
3	Continuous Flow Resectoscope Sheath, 18.5 Charr.	351-000-185	1 pc.
4	Loop Electrode	351-000-201	1 pc.
5	Knife Electrode	351-000-203	1 pc.
6	Ball Electrode	351-000-205	1 pc.
7	Visual Obturator, with 5 Charr. working channel	351-000-180	1 pc.
8	Sterilization tube for electrodes	253-300-999	1 pc.
9	SDS Cable, 4.5m, bipolar	700-500-453	1 pc.

CONFIGURATIONS by RZ — HoLEP Laser Resectoscope Set according to Dr. Felipe C. A. de Figueiredo



Laser Resectoscope Set according to Dr. Felipe C. A. de Figueiredo

1	RZ Rod Lens Cystoscope, 30°, ∅ 2.9mm	351-829-030	1 pc.
2	RZ Laser Working Element, passive, for fibres up to 0.8mm	253-000-319	1 pc.
3	Resectoscope Sheath, 22 Charr., rotating inner tube, for continuous suction / irrigation	253-000-352	1 pc.
4	RZ LL-Connection, rotatable, for use with Laser Probe, short	253-000-301	1 pc.
5	Luer-Lock Tuohy Borst Adapter (∅ 0.6 - 1.4mm)	300-011-184	1 pc.
6	Morcescope, 22 Charr., 220mm working length, 5mm working channel	253-905-220	1 pc.
7	Sealing Cap for Morcescope, package of 10 pieces	253-904-220	1 pc.

CONFIGURATIONS by RZ

HoLEP Laser Resectoscope Set according to Dr. Felipe C. A. de Figueiredo



Laser Resectoscope Set according to Dr. Felipe C. A. de Figueiredo

1	RZ Rod Lens Cystoscope, 30°, ∅ 2.9mm	351-829-030	1 pc.
2	RZ Laser Working Element, passive, for fibres up to 0.8mm, with push button	253-000-318	1 pc.
3	Resectoscope Continuous Flow Sheath, 18.5 Charr.	351-000-185	1 pc.
4	RZ LL-Connection, rotatable, for use with Laser Probe, short	253-000-301	1 pc.
5	Luer-Lock Tuohy Borst Adapter (∅ 0.6 - 1.4mm)	300-011-184	1 pc.
6	Morcescope, 22 Charr., 220mm working length, 5mm working channel	253-905-220	1 pc.
7	Continuous Flow Sheath, 22 Charr.	253-901-220	1 pc.
8	Sealing Cap for Morcescope, package of 10 pieces	253-904-220	1 pc.

CONFIGURATIONS by RZ

HoLEP Set acc. Dr. Felipe C. A. de Figueiredo



253-900-920 HoLEP Set acc. Dr. Felipe C. A. de Figueiredo

1	RZ Cystoscope, 30°, ∅ 4.0mm	253-804-030	1 pc.
2	RZ Laser Working Element, passive, for laser-probes	253-000-312	1 pc.
3	Continuous Flow Resectoscope Sheath, 26 Charr.	253-000-256	1 pc.
4	RZ LL-Connection	253-000-302	1 pc.
5	Luer-Lock Tuohy Borst Adapter	300-011-184	1 pc.
6	Nephroscope 6°	253-900-121	1 pc.
7	Adapter for Resectoscope outer sheath 253-000-256	253-428-100	1 pc.

CONFIGURATIONS by RZ Urethrotome Set for adults



253-900-902 Urethrotome Set for adults

1	RZ Cystoscope, 0°, ∅ 4.0mm	253-804-000	1 pc.
2	Passive Titanium Working Element	253-000-200	1 pc.
3	Urethrotome Sheath oval shape, 21 Charr.	253-500-221	1 pc.
4	Hollow Obturator with channel for guide wires	253-500-321	1 pc.
5	Bridge with channel for 5 Charr. accessories	253-500-325	1 pc.
6	Supplementary Sheath, half round	253-500-230	1 pc.
7	Sachse knife, straight	253-500-561	3 pcs.
8	Half round knife, 180° cutting	253-500-563	2 pcs.
9	WaveCut knife, straight	253-500-564	1 pc.
10	Sterilization tube for electrodes	253-300-999	1 pc.
11	Bladder Syringe, 150cc	253-000-950	1 pc.
12	OTIS Dilation Urethrotome, complete	253-500-100	1 pc.

CONFIGURATIONS by RZ

Urethrotome Set for children

1

2



3

4

5

6

7

253-900-922 Urethrotome Set for children

1	RZ Pediatric Fiber Cystoscope, 0°, ∅ 2.0mm	253-219-100	1 pc.
2	Passive Working Element	253-250-200	1 pc.
3	Pediatric Urethrotome sheath, 10 Charr.	253-265-010	1 pc.
4	Bridge with 1 channel	253-255-001	1 pc.
5	Knife with straight cutting edge	253-265-101	1 pc.
6	Round Knife	253-265-102	1 pc.
7	Hook Knife	253-265-104	1 pc.

CONFIGURATIONS by RZ Uretero-Renoscope Set

1

2

3

4

5

6

253-900-903 Uretero-Renoscope Set

1	Advanced Semi-Rigid Uretero-Renoscope	253-905-540	1 pc.
2	Stone Grasping Forceps	253-950-005	1 pc.
3	Stone Grasping Forceps for large stones	253-952-005	1 pc.
4	HAMADA Long Stone Grasping Forceps	253-954-005	1 pc.
5	Biopsy Forceps	253-956-005	1 pc.
6	Dormia Metal Stone Basket, flexible	253-585-005	1 pc.

CONFIGURATIONS by RZ

Nephroscope Set, Mini PCNL



253-900-909 Nephroscope Set, Mini PCNL

1	Mini Nephroscope, 12°	253-900-140	1 pc.
2	15 Charr. Nephroscope Sheath	253-900-141	1 pc.
3	One-Step Dilator	253-900-146	1 pc.
4	2-piece Sealing Adapter	253-900-145	1 pc.
5	16.5 Charr. Nephroscope Sheath	253-900-142	1 pc.
6	One-Step Dilator	253-900-147	1 pc.
7	21 Charr. Nephroscope Sheath	253-900-143	3 pcs.
8	One-step Dilator	253-900-148	3 pcs.
9	Stone Grasping forceps	253-950-455	1 pc.
10	Stone Grasping Forceps for large stones	253-952-455	1 pc.
11	Biopsy Forceps	253-956-455	1 pc.

CONFIGURATIONS by RZ Nephroscope Set, Compact PCNL



1

2

3

4

5

253-900-923 Nephroscope Set, Compact PCNL

1	Compact Nephroscope	253-900-630	1 pc.
2	Shaft with Obturator	253-900-666	1 pc.
3	Stone Grasping forceps	253-950-455	1 pc.
4	Stone Grasping Forceps for large stones	253-952-455	1 pc.
5	Biopsy Forceps	253-956-455	1 pc.

CONFIGURATIONS by RZ

Nephroscope Set, Standard PCNL



253-900-924 Nephroscope Set, Standard PCNL

1	Nephroscope, 6°	253-900-121	1 pc.
2	Operating Sheath 26 Charr.	253-900-130	1 pc.
3	Hollow Obturator 26 Charr.	253-900-135	1 pc.
4	Amplatz metal Dilator Set	253-900-155	1 pc.
5	Amplatz metal Dilator 27 Charr.	253-900-156	1 pc.
6	Amplatz metal Dilator 30 Charr.	253-900-157	1 pc.
7	Puncture Cannula with inner and outer cannula	253-900-201	3 pcs.
8	Dilation Cannula, ∅ 3mm	253-900-202	3 pcs.
9	Stone Grasping Forceps, fenestrated	253-900-250	1 pc.
10	Stone Grasping Forceps, coarse serrated	253-900-252	1 pc.

CONFIGURATIONS by RZ Lithotripsy Set, mechanical



253-900-925 Lithotripsy Set, mechanical

1	RZ Cystoscope, 0°, ∅ 4.0mm	253-804-000	1 pc.
2	RZ Cystoscope, 30°, ∅ 4.0mm	253-804-030	1 pc.
3	Mauermayer Stone Punch	253-755-010	1 pc.
4	Punch Sheath with Central Valve, 24 Charr.	253-755-020	1 pc.
5	Visual Obturator with 7 Charr. working channel	253-755-030	1 pc.
6	Cysto-Urethroscope Sheath 25 Charr.	253-300-025	1 pc.
7	Stone Crushing Forceps for small stones, single action	253-760-000	1 pc.
8	Ellik Evacuator with turn lock connection	253-500-000	1 pc.

CONFIGURATIONS by RZ

Lithotripsy Set, electro-pneumatic

1

2

3

4 – 9

253-900-926 Lithotripsy Set, electro-pneumatic

1	L 100 Lithotripter	253-750-100	1 pc.
2	Pneumatic Footswitch	253-750-150	1 pc.
3	Hand piece, annodised	253-750-200	1 pc.
4	Litho Probe, 0.6mm	253-850-006	2 pcs.
5	Litho Probe, 0.8mm	253-850-008	2 pcs.
6	Litho Probe, 1.0mm	253-850-010	2 pcs.
7	Litho Probe, 1.2mm	253-850-012	2 pcs.
8	Litho Probe, 1.6mm	253-850-016	2 pcs.
9	Litho Probe, 2.0mm	253-850-020	2 pcs.

CYSTOSCOPY



FULL HD CYSTOSCOPES

- Colour coded rings identify the direction of view
- 3-step light post adapters for the most common light cables
- Sapphire glasses to protect lens system
- Optimized glass fibre arrangements for an uniform image brightness
- Fully Autoclavable at 134°C and 2.3bar

0° 12° 30° 70°



FULL HD

Ø 4mm Endoscopes for Cystoscopy

Ø
4 mm



0° DIRECTION OF VIEW

300mm working length
356mm overall length — 253-804-000*

12° DIRECTION OF VIEW

300mm working length
356mm overall length — 300-804-012*

30° DIRECTION OF VIEW

300mm working length
356mm overall length — 300-804-030*



70° DIRECTION OF VIEW

300mm working length
356mm overall length — 300-804-070*

Sheaths for use with ∅4mm Cystoscopes



Standard Cysto-Urethroscope sheaths with 2 lateral stopcocks and standard obturator with atraumatic tip

253-300-017* Cysto-Urethroscope Sheath 17 Charr. 🟡
253-300-019* Cysto-Urethroscope Sheath 19 Charr. 🟢
253-300-020* Cysto-Urethroscope Sheath 20 Charr. 🔴
253-300-022* Cysto-Urethroscope Sheath 22 Charr. 🔵
253-300-025* Cysto-Urethroscope Sheath 25 Charr. ❍



Long Window Cysto-Urethroscope sheaths with 2 lateral stopcocks and standard obturator with atraumatic tip

253-300-119 Cysto-Urethroscope Sheath 19 Charr. 🟢
253-300-120 Cysto-Urethroscope Sheath 20 Charr. 🔴
253-300-122 Cysto-Urethroscope Sheath 22 Charr. 🔵
253-300-125 Cysto-Urethroscope Sheath 25 Charr. ❍



Central Valve Cysto-Urethroscope sheaths with 2 stopcocks and central valve
Sheaths with standard obturator and atraumatic tip

253-310-017 Cysto-Urethroscope Sheath 17 Charr. 🟡
253-310-019 Cysto-Urethroscope Sheath 19 Charr. 🟢
253-310-020 Cysto-Urethroscope Sheath 20 Charr. 🔴
253-310-022 Cysto-Urethroscope Sheath 22 Charr. 🔵
253-310-025 Cysto-Urethroscope Sheath 25 Charr. ❍

Central valve for easy regulation of suction and irrigation

Obturators for use with Cystoscope sheaths

Standard Obturators with atraumatic tip and locking mechanism for all RZ Cysto-Urethroscope sheaths

253-000-117 Obturator 17 Charr. ●
253-000-119 Obturator 19 Charr. ●
253-000-120 Obturator 21 Charr. ●
253-000-122 Obturator 23 Charr. ●
253-000-125 Obturator 25 Charr. ❍

Visual Obturators with locking mechanism for all 4mm RZ Cystoscopes

253-000-217 Obturator 17 Charr. ●
253-000-219 Obturator 19 Charr. ●
253-000-220 Obturator 20 Charr. ●
253-000-222 Obturator 22 Charr. ●
253-000-225 Obturator 25 Charr. ❍

253-315-000
Hamada Cystoscope Adapter for use with RZ Cystoscope sheath

Cystoscope Bridge for use with Cysto-Urethroscope sheaths


1


2


3

253-000-100* without channel
253-000-101* with 1 channel for 1 instrument with max. 12 Charr.
253-000-102* with 2 channels for 1 instrument with max. 12 Charr. or 2 instruments with max. 8 Charr.

Albarran deflecting mechanism for use with 19-25 Charr. RZ Cysto-Urethroscope sheaths



253-000-105* Albarran deflecting mechanism with 2 working channels **and ratchet**
253-000-107 Albarran deflecting mechanism with 1 working channel **and ratchet** (without illustration)



253-000-106 Albarran deflecting mechanism with 2 working channels **without ratchet** (without illustration)
253-000-108 Albarran deflecting mechanism with 1 working channel **without ratchet**

Sheath - Instrument combinations

SHEATHS	COLOR	ALBARRAN		BRIDGE	
		1 working channel	2 working channels	1 working channel	2 working channels
25 Charr.	❍	1 x 10 Charr.	2 x 8 Charr.	1 x 12 Charr.	2 x 8 Charr.
22 Charr.	🔵	1 x 9 Charr.	2 x 6 Charr.	1 x 10 Charr.	2 x 7 Charr.
20 Charr.	🔴	1 x 6 Charr	2 x 5 Charr.	1 x 7 Charr.	2 x 6 Charr.
19 Charr.	🟢	1 x 5 Charr	2 x 4 Charr.	1 x 6 Charr.	2 x 5 Charr.
17 Charr.	🟡	-	-	1 x 5 Charr.	-

Flexible Instruments for use with cystoscopes



Working length: 400mm
Rotatable and detachable

	Flexible	Semi-rigid
Grasping Forceps, serrated jaws, double action	351-114-105* 5 Charr. 351-114-107* 7 Charr. 351-114-109 9 Charr.	351-114-305 5 Charr. 351-114-307 7 Charr.
Biopsy Forceps, oval cup, double action	351-120-105* 5 Charr. 351-120-107* 7 Charr. 351-120-109 9 Charr.	351-120-305 5 Charr. 351-120-307 7 Charr.
Serrated Biopsy Forceps, oval cup with agressive serration, double action	351-124-107 7 Charr.	351-124-307 7 Charr.
Scissors, single action	351-100-105* 5 Charr. 351-100-107 7 Charr. 351-100-109 9 Charr.	351-100-305 5 Charr. 351-100-307 7 Charr.
DJ Forceps, double action	351-107-107 7 Charr. 351-107-109 9 Charr.	351-107-307 7 Charr.
Grasping Forceps, serrated jaw, double action, 730mm working length	253-958-105 5 Charr.	
Biopsy Forceps, double action, 730mm working length	253-957-105 5 Charr.	

OPTICAL FORCEPS

- for use with ∅ 4mm Cystoscopes



Scope is **below** forceps

253-420-100*
Spoon Biopsy Forceps with round cup, double action

253-421-100
Grasping Forceps with serrated jaws, double action

253-422-100
Biopsy Punch Forceps, thru-cutting, double action

253-423-100
Scissors, hook type blades, double action

253-429-100* Adapter for use of optical forceps with resectoscope sheaths



Scope is **above** Forceps

253-426-100*
Mini Biopsy forceps with oval cup, double action
for use with 0° cystoscope

253-431-100*
Biopsy forceps with **large** oval cup, double action
for use with 30° cystoscope

253-425-100
Biopsy forceps with mini oval cup, double action
for use with 4mm, 70° cystoscope

253-427-100*
Stent Grasping forceps with serrated jaws, double action for removal of stents

FLEXIBLE INSTRUMENTS



253-940-005 3-Prongs Grasper, flexible, 600mm working length, 5 Charr.

253-585-005 Dormia Metal Stone Basket, flexible, 4 wires, 600mm working length, 5 Charr.



Dormia Nitinol Stone Basket, 600mm working length, 5 Charr.

253-581-045 with 4 wires, complete with handle
253-582-045 Spare Basket only, 4 wires
253-582-055 Spare Basket only, 5 wires
253-582-065 Spare Basket only, 6 wires



Polyp Snare with teflon tube, 500mm working length with HF connection, 7 Charr.

253-580-007 with handle, complete
253-581-007 Spare Snare only



253-584-005 Zeiss Loop Catheter, package with 5 pieces, sterile, single use, 5 Charr.



253-000-235 Injection Cannula, semi-rigid, 4 Charr.
distal end 2 Charr., with rotatable Luer-Lock adapter

FLEXIBLE ELECTRODES AND HF CABLES

Ball Electrode, 530mm working length

253-370-003 3 Charr.
253-370-103 3 Charr., 115cm working length

253-370-005* 5 Charr.

253-370-007 7 Charr.

253-370-010 10 Charr.

Needle Electrode, 530mm working length

253-371-003 3 Charr.
253-371-005 5 Charr.
253-371-007 7 Charr.

Loop Electrode 530mm working length

253-372-005 5 Charr.
253-372-007 7 Charr.
253-372-010 10 Charr.

Monopolar High Frequency cables, 4,5mm length

253-610-001* with 5 mm plug for Erbe HF-unit

253-610-002* with 4 mm plug for Martin HF-unit

253-610-003* with 8 mm plug for Valleylab HF-unit

253-610-004* with 4 mm plug for older HF-units

700-501-453* SDS plug



CYSTOSCOPY ACCESSORIES

301-701-100* Grey rubber cap for use on all working channels



253-990-800 French Catheter Scale

Cleaning Brush, flexible

253-961-103 ∅ 3mm, 100mm length,
for use in 2.0 - 2.6mm working channels

253-961-102 ∅ 2.5mm, 120mm length,
for 5 Charr. working channels

300-215-000
Cleaning Brush, ∅ 13mm, 60mm brush length, 230mm overall length

RESECTOSCOPY



RZ RESECTOSCOPY SETS

Transurethral resection of the prostate (TURP) is a common surgery for BPH (Benign Prostate Hyperplasia). During TURP, the prostate is visualized through the urethra and tissue is removed using electric currency. A monopolar or bipolar resectoscope is inserted transurethral and the enlarged prostatic tissue is removed with cutting and sealing electrodes.





Complete Instrument consisting of 1 - 4

Instrument components

1 Endoscope

2 Sheath system:
- Outer Sheath
- Inner Sheath
- Obturator

3 Workimg Element (active or passive)

4 Electrode

RZ HYBRID RESECTOSCOPY SYSTEM

24 CHARR.





Complete Instrument
consisting of 1 - 5
- only cable needs to be changed

Instrument components

1 Endoscope

2 Hybrid Electrode

3 Sheath system:
- Outer Sheath
- Inner Sheath
- Obturator

4 Working Element
(active or passive)

5 Monopolar / Bipolar
Cable



Complete Instrument
consisting of 1 - 5
- only cable needs to be changed



HYBRID

ONE set
TWO techniques

24 CHARR.

Endoscopes, suitable for 24 Charr. System

∅ 4 mm



0° DIRECTION OF VIEW

300mm working length
356mm overall length — 253-804-000*

12° DIRECTION OF VIEW

300mm working length
356mm overall length — 300-804-012*

30° DIRECTION OF VIEW

300mm working length
356mm overall length — 300-804-030*

24 CHARR.

MONOPOLAR

Monopolar working elements suitable for 24 Charr. System

- lightweight, titanium handle parts
- ergonomic handle design with finger rest and rotating titanium thumb ring



253-000-200* **Passive** Titanium Working Element



253-000-201* **Active** Titanium Working Element

24 CHARR. HYBRID

Working elements suitable for HYBRID 24 Charr. system
with bipolar and monopolar cable connection



253-000-400* HYBRID **Passive** Titanium Working Element



253-000-401* HYBRID **Active** Titanium Working Element

24 CHARR.

Sheaths, suitable for 24 Charr. system,
for monopolar and HYBRID usage



253-000-256* Continuous Flow Resectoscope Sheath
Rotating inner sheath for 360° TURP/TURB.
Inner shaft with non reflecting, oblique ceramic tip.
RZ QuickLock mechanism, with Obturator



253-000-266 Inner shaft, 24Charr., with oblique ceramic tip for 253-000-256



253-000-724 Central Valve Resectoscope Sheath, 24 Charr,
oblique ceramic tip, with obturator



253-000-356 Continuous Flow Resectoscope Sheath, fixed,
inner sheath with non reflecting, oblique ceramic tip.
RZ QuickLock mechanism, with obturator



253-000-366 Inner shaft with oblique ceramic tip for 253-000-356



253-000-524 Resectoscope Sheath 24 Charr.
Oblique Ceramic Tip, with obturator

253-428-500 Adapter for resectoscope outer sheaths
253-000-256 and -356
and Ellik or bladder syringes

24 CHARR. MONOPOLAR HYBRID

Obturators, suitable for 24 Charr. system,
for monopolar and HYBRID usage

253-000-044* Standard Obturator, for 24/26 Charr. resectoscope sheaths



253-000-054* Deflecting Obturator, for 24/26 Charr. resectoscope sheaths

253-000-084* Visual Obturator for 4mm RZ Cystoscopes,
for 24/26 Charr. resectoscope sheaths



253-000-094* Visual Obturator with 5 Charr. working channel,
for 4mm RZ Cystoscopes, for 24/26 Charr. resectoscope sheaths

24 CHARR. MONOPOLAR

Electrodes, 24 Charr., suitable for 24 Charr. system and 24 Charr. inner sheath

	Cutting Loop, angled, for 12°/30° telescope	253-300-201*
	Cutting Loop, 90° angled, for 0° telescope	253-300-222
	Cutting Loop, straight in longitudinal direction	253-300-202
	Coagulation Electrode, pointed	253-300-203*
	Coagulation Electrode, conical	253-300-204
	Coagulation Electrode, ball shape, ∅ 3mm	253-300-205*
	Coagulation Electrode, ball shape, ∅ 5mm	253-300-206*
	Coagulation Electrode, roller shape, ∅ 3mm	253-300-207
	Coagulation Electrode, roller shape, ∅ 5mm	253-300-208

24 CHARR. MONOPOLAR

Electrodes, 24 Charr., suitable for 24 Charr. System and 24 Charr. inner sheath

	Spike Electrode, ∅ 3mm		253-300-210
	Spike Electrode, ∅ 5mm		253-300-209
	Roller-Electrode, ∅ 3mm		253-300-212
	Roller-Electrode, ∅ 5mm		253-300-211
	Band Vapor Electrode, 1.2 mm width		253-300-213
	Band Vapor Electrode, 90° angled		253-300-214
	Band Vapor Electrode		253-300-215
	Curette, sharp, for use without HF		253-300-218
	Curette, blunt, for use without HF		253-300-220
	Needle Electrode		253-300-219

24 CHARR.

MONOPOLAR

Sterile disposable Electrodes, 24 Charr., suitable for 24 Charr. System and 24 Charr. inner sheath



STERILE EO

Sales unit: package with 6 pieces, each individually sterile packed.

	Cutting Loop, angled, for 12°/30° telescope	253-300-201S*
	Collins knife electrode	253-300-203S*
	Ball electrode, ∅ 3mm	253-300-205S*
	Ball electrode, ∅ 5mm	253-300-206S*



24 CHARR.

HYBRID

HYBRID Electrodes, 24 Charr., suitable for 24 Charr. System and 24 Charr. inner sheath

- works in bipolar and monopolar mode
- made of a standard wire of ∅ 0.35mm

	Cutting Loop, angled, for 12°/30° telescope	253-400-200
	Cutting Loop, angled, for 12°/30° telescope	253-400-201*
	Cutting Loop, thick wire, angled, for 12°/30° telescope	253-400-202
	Collins Coagulation Electrode, pointed	253-400-203*
	Coagulation Electrode, conical	253-400-204
	Coagulation Electrode, ball shape, ∅ 3mm	253-400-205*
	Roller-Electrode, ∅ 3mm	253-400-211

24 CHARR.

HYBRID

HYBRID „Mushroom" Electrodes, 24 Charr.,
suitable for 24 Charr. System and 24 Charr. inner sheath
Only for bipolar use with NaCl

	„Mushroom" Electrode, blunt/flat	253-400-701
	„Mushroom" Electrode, blunt with slot, concave	253-400-702
	„Mushroom" Electrode, half-round (convex), ∅ 3mm, length 1.9mm	253-400-703
	„Mushroom" Electrode, half-round (convex), ∅ 3mm, length 2.5mm	253-400-704

24 CHARR. HYBRID XL RESECTOSCOPE

MONOPOLAR BIPOLAR

245mm working length

253-804-530 XL Cystoscope, ∅ 4mm, 30° direction of view, 365mm length



253-000-251 XL HYBRID **active** working element, Titanium,
for use with 253-804-530 and 253-000-666



253-000-250 XL HYBRID **passive** working element, Titanium,
for use with 253-804-530 and 253-000-666



253-000-666 XL Resectoscope Sheath, continuous flow, rotating,
for use with 253-000-251/-250 and 253-804-530



24 Charr. HYBRID Electrodes

XL Electrodes for use with RZ XL Resectoscope

	Cutting Loop, straight		253-300-252
	Cutting Loop, 15° angled		253-300-253
	Cutting Loop, 30° angled		253-300-254
	Cutting Loop, 45° angled		253-300-255
	Cutting Loop, 60° angled		253-300-256
	Cutting Loop, 90° angled		253-300-257
	Cutting Loop, 120° angled		253-300-251
	Roller Electrode		253-300-258
	Kife Electrode		253-300-259

22 CHARR.



Endoscopes, suitable for HYBRID 22 Charr. System



Ø 2.9 mm

0° DIRECTION OF VIEW

300mm working length
356mm overall length
351-829-000

12° DIRECTION OF VIEW

300mm working length
356mm overall length
351-829-012

30° DIRECTION OF VIEW

300mm working length
356mm overall length
351-829-030

22 CHARR.

MONOPOLAR

Monopolar Working Elements



253-000-210 Passive Working Element



253-000-211 Active Working Element

22 CHARR. HYBRID MONOPOLAR BIPOLAR

Hybrid Working Elements and Sheath
suitable for HYBRID 22 Charr. System



253-000-410 **Passive** Titanium Working Element



253-000-411 **Active** Titanium Working Element



253-000-352 Resectoscope Sheath, rotating inner tube
for continuous suction / irrigation

22 CHARR. HYBRID

Electrodes, suitable for HYBRID 22 Charr. System

	Cutting Loop, 30° angled	253-000-541
	Ball Electrode	253-000-545
	Roller Electrode, ∅ 3mm	253-000-547
	Knife Electrode	253-000-543

MONOPOLAR

Monopolar Electrodes, suitable for HYBRID 22 Charr. System

	Cutting Loop, angled	253-000-501
	Cutting Loop, straight	253-000-502
	Coagulation Electrode, Knife	253-000-503
	Coagulation Electrode, Ball	253-000-505
	Coagulation Electrode, Roller	253-000-507

18.5 CHARR.



Endoscopes, suitable for HYBRID 18.5 Charr. System

∅ 2.9 mm

0° DIRECTION OF VIEW

300mm working length
356mm overall length
351-829-000

12° DIRECTION OF VIEW

300mm working length
356mm overall length
351-829-012

30° DIRECTION OF VIEW

300mm working length
356mm overall length
351-829-030

18.5 CHARR. HYBRID

Working Elements and Sheaths,
suitable for HYBRID 18.5 Charr. System

351-400-200 **Passive** Titanium Working Element

351-400-201 **Active** Titanium Working Element



351-000-185 Resectoscope Continuous Flow Sheath,
with rotating sheath, incl. obturator, with QuickLocking

351-000-180 Visual Obturator, with 5 Charr. working channel

18.5 CHARR. HYBRID

Electrodes, 16 Charr., suitable for HYBRID 18.5 Charr. System

	Cutting Loop	351-000-201
	Cutting loop, straight	351-000-202
	Cutting loop, straight	351-000-203
	Ball Electrode	351-000-205
	Roller Electrode, 2mm	351-000-206

HIGH FREQUENCY CABLES

for RZ resectoscope systems, 4.5m length

MONOPOLAR

253-610-001* with 5 mm plug for Erbe HF-unit

253-610-002* with 4 mm plug for Martin HF-unit

253-610-003* with 8 mm plug for Valleylab HF-unit

253-610-004* with 4 mm plug for older HF-units

700-501-453* SDS plug



BIPOLAR

253-400-601 for Erbe HF-unit

253-400-602 for Martin HF-unit

700-500-453 SDS plug

700-400-606 for BOWA



SUPRAPUBIC TROCAR SET



253-400-501 Trocar Sheath, 16 Charr., with pressure channel and spare silicone sealings

253-400-503 Suprapubic Trocar with pyramidal tip

253-400-504 Suprapubic Trocar with cannula tip

253-400-505 Aspiration Cannula

253-400-506 Overflow Cannula

253-400-508 Trocar guide sheath, lateral open



253-400-502 Suprapubic Trocar Stabilizing Plate, lateral open

LASER ENUCLEATION



LASER ENUCLEATION

Holmium laser prostate surgery is a minimally invasive treatment for Benign Prostate Hyperplasia (BPH). Laser enucleation of the prostate uses a laser resectoscope to enucleate the prostate tissue that is blocking urine flow. A morcellator which passes through the morcescope is then used to cut the prostate and remove the adenoma.

As with other types of prostate laser surgery, Laser enucleation can offer faster recovery, less risk of bleeding and transfusion and better symptom relief compared to traditional prostate surgery.



Sheaths for Laser applications from 26 to 18.5 Charr.

Front Fire Laser resection

RZ Medizintechnik GmbH



Laser Working Elements
for different laser fibre
diameters

Luer Lock Adapters to
connect Laser Probes

LASER ENUCLEATION SETS FRONT FIRE

HoLEP / ThuLEP / Overview

24 CHARR.

253-804-000 0°
253-804-012 12°
253-804-030 30°



253-000-256

253-000-300 fibers up to 0.8mm
253-000-312 fibers up to 1.2mm

253-000-305

253-900-121

22 CHARR.

351-829-000 0°
351-829-012 12°
351-829-030 30°



253-000-352



253-000-319 fibers up to 0.8mm
253-000-316 fibers up to 1.2mm

253-905-220

18.5 CHARR.

351-829-000 0°
351-829-012 12°
351-829-030 30°



351-000-185



253-901-220
(modulation only)

253-000-318 **with** push button

253-905-220

RZ Medizintechnik
PROGRESS IN SURGERY

24 CHARR.

HoLEP Set acc. Dr. Felipe C. A. de Figueiredo

Figueiredo



Cystoscope, autoclavable, ∅ 4.0mm
253-804-030 30° direction of view
253-804-012 12° direction of view



253-000-256* Continuous Flow 26 Charr. Resectoscope Sheath with rotating inner sheath and non-reflecting ceramic tip, including atraumatic obturator



253-874-000 Laser Working Insert for use with Resectoscope Sheath and 4mm Cystoscope, with 7 Charr. working channel

RZ Laser Working Element, passive, for laser-probes
253-000-300 for fibres up to 0.8mm
253-000-312* for fibres up to 1.2mm

300-011-184* Luer-Lock Tuohy Borst Adapter (∅ 0.6 - 1.4mm)

(253-000-302)

RZ LL-Connection, rotatable
for use with Laser Probe
253-000-301* short
253-000-302 long

24 CHARR.

HoLEP Set acc. Dr. Felipe C. A. de Figueiredo

Figueiredo



Cystoscope, ∅ 4.0mm
253-804-030 30° direction of view
253-804-012 12° direction of view



253-000-256* Continuous Flow 26 Charr. Resectoscope Sheath with rotating inner sheath and non-reflecting ceramic tip, including atraumatic obturator



253-000-305 RZ Laser Working Element, passive, with changeable guide for laser probes



detachable

1 Guide for Laser Probes
253-000-320 0.8mm
253-000-321 1.0mm
253-000-322 1.2mm
253-000-323 1.4mm

2 Guide for Laser Probes, with retractor
253-000-330 0.8mm
253-000-331 1.0mm
253-000-332 1.2mm
253-000-333 1.4mm

300-011-184* Luer-Lock Tuohy Borst Adapter (∅ 0.6 - 1.4mm)



(253-000-302)

RZ LL-Connection, rotatable
for use with Laser Probe
253-000-301* short
253-000-302 long

24 CHARR. XL Laser Resection



253-804-530 XL Cystoscope, ∅ 4mm, 30° direction of view, 365mm length



253-000-666 XL Resectoscope Sheath, continuous flow, rotating, for use with 253-000-251/-250 and 253-804-530



253-000-350 XL Laser Working Element for fibers ∅1.2mm, passive

22 CHARR.

HoLEP Figueiredo

MiLEP Set acc. Dr. Felipe C. A. de Figueiredo



Cystoscope, ∅ 2.9mm

253-829-030 30° direction of view
253-829-012 12° direction of view



253-000-352 Resectoscope Sheath 22 Charr., rotating inner tube for continuous suction / irrigation
253-000-362 Inner tube only

RZ Laser Working Element, passive, for laser-probes

253-000-319 for fibres up to 0.8mm
253-000-316 for fibres up to 1.2mm

300-011-184* Luer-Lock Tuohy Borst Adapter (∅ 0.6 - 1.4mm)



(253-000-302)

RZ LL-Connection, rotatable for use with Laser Probe

253-000-301* short
253-000-302 long

18.5 CHARR.

HoLEP Figueiredo

MiLEP Set acc. Dr. Felipe C. A. de Figueiredo



Cystoscope, autoclavable, ∅ 2.9mm

253-829-030 30° direction of view
253-829-012 12° direction of view



351-000-185 Resectoscope Continuous Flow Sheath, 18.5 Charr., with rotating sheath, incl. obturator, with QuickLocking
351-000-195 Inner tube only



RZ Laser Working Element, passive, for laser-probes with fibres up to 0.8mm

253-000-318 **with** push button

300-011-184* Luer-Lock Tuohy Borst Adapter (∅ 0.6 - 1.4mm)

(253-000-302)

RZ LL-Connection, rotatable for use with Laser Probe

253-000-301* short
253-000-302 long

24 CHARR.

TISSUE MORCELLATION





253-900-121* Nephroscope 6°, oval instrument channel, parallel eye piece, 250mm working length



253-000-256* Continuous Flow 26 Charr. Resectoscope Sheath with rotating inner sheath and non-reflecting ceramic tip, including atraumatic obturator

253-428-100* Adapter for use with RZ Nephroscopes and Resectoscope Outer sheaths 253-000-356/-256

22 CHARR.

HoLEP Morcescope

acc. Dr. Felipe C. A. de Figueiredo

Figueiredo



253-905-220 Morcescope, 22 Charr., 220mm working length, 5mm working channel*

18.5 CHARR.

* can also be used with 18.5 Charr. Resectoscope

HoLEP



253-901-220 Continuous Flow Sheath, 22 Charr., 220mm working length, 2 way stopcock, quicklock, with Obturator

253-904-220 Sealing Cap for Morcescope, with membrane to puncture through, package of 10 pieces

23 CHARR.

UNIVERSAL LASER CYSTOSCOPE SET

side fire, compatible with all laser fibres up to 2.5mm
for PVP, HoLEP & ThuVAP



Cystoscope, autoclavable, ∅ 4.0mm

253-804-030 30° direction of view
253-804-012 12° direction of view



253-870-023* High Continuous Flow Laser Cystoscope Sheath, 23 Charr.

including sheath and blunt obturator



253-872-000* Telescope bridge and laser guide with 1 working channel for 8 Charr. laser fibers and instruments

253-873-000 Visual Obturator for easy insertion of the sheath into the urethra and bladder

LASER RESECTION SET

24 CHARR.

for PVP, HoLEP & ThuVAP



Cystoscope, autoclavable, ∅ 4.0mm

253-804-030 30° direction of view

253-804-012 12° direction of view



253-000-256* Continuous Flow 26 Charr. Resectoscope Sheath with rotating inner sheath and non-reflecting ceramic tip, including atraumatic obturator



253-874-000 Laser Working Insert with 7 Charr. working channel, for 24/26 Charr. sheaths and 4mm telescope

URETHROTOME



URETHROTOME SET

21 CHARR.



253-804-000* Cystoscope, 0°, ∅ 4mm



253-500-221* Urethrotome Sheath oval shape, 21 Charr. with 5 Charr. working channel for catheters, bougies and accessories

253-500-321* Hollow Obturator with channel for guide wires

253-500-230* Supplementary Sheath, half round, to insert Foley catheters, double Lock for secure fixation on the Urethrotome Sheath

253-500-325 Bridge with channel for 5 Charr. accessories

253-500-229 Continuous Flow supplementary sheath with double lock



253-000-200* **Passive** Titanium working element

URETHROTOME SET

15.5 CHARR.



253-829-000 RZ Cystoscope, ∅ 2.9mm, 0° direction of view



253-500-115 15.5 Charr. Urethrotome Sheath with lateral channel for guide wires and other accessories

253-500-315 Obturator for use with 253-500-115



253-500-500 Urethrotome Working Element for use with RZ Cystoscope, ∅ 2.9mm, 0°

253-500-125 Urethrotome Bridge 15.5 Charr., with 5 Charr. working channel, for ∅ 2.9mm endoscopes

1 guide stem Urethrotome knifes, for use without HF

253-500-581 Sachse knife, straight, 15 Charr.

253-500-582 Sickle knife, retrograde, 15 Charr.

253-300-999 Storage container for knives and electrodes, metal, perforated



253-500-101 Urethrotome only

253-500-102 Knife only

253-500-108 Set with 3 atraumatic tips



KEITZER Urethrotome,
253-500-104 complete
253-500-105 Urethrotome only
253-500-106 Knife only, pointed
253-500-116 Knife only, blunt

LITHOTRIPSY





253-804-000* Cystoscope, 0°, ∅ 4mm, autoclavable

253-755-020* Punch Sheath with Central Valve, 24 Charr. including Obturator



253-755-030 Visual Obturator with 7 Charr. working channel

253-755-040 Obturator only



253-755-010* Mauermayer Stone Punch



253-755-500* Hamada Bladder Stone Lithotripter, dismountable
for use with RZ Cystoscope 253-804-030 or 253-804-070



Comparison:
field of view

1 with 30° Endoscope
2 with 70° Endoscope

Dismountable



253-804-030 Cystoscope, autoclavable, ∅ 4.0mm, 30° direction of view

Suitable Resectoscope Sheaths



253-300-025* 25 Charr. ❍



253-000-256* 26 Charr. ●
253-000-258 28 Charr. ●



253-000-356 Fixed, 26 Charr. ●
253-000-358 Fixed, 28 Charr. ●



253-430-100* Adapter for use with Outer Resectoscope Sheaths



253-760-000* Stone Crushing Forceps for small stones, single action



253-804-030 Cystoscope, autoclavable, ∅ 4.0mm, 30° direction of view

Suitable Resectoscope Sheaths



253-000-256* 26 Charr. ●
253-000-258 28 Charr. ●



253-000-356 Fixed, 26 Charr. ●
253-000-358 Fixed, 28 Charr. ●



253-780-000 Tissue Punch to cut up denatured tissue after Prostata Resection

NEPHROSCOPY



Percutane Nephroscopy, 190mm length

PCNL



RZ Nephroscope, oblique view, with 2 Luer-Lock stopcocks and detachable instrument stopcock
253-900-100 6° direction of view
253-900-150 15° direction of view

253-900-105 Stopcock, only for use with RZ Nephroscopes



RZ Nephroscope, parallel view, with 2 Luer-Lock stopcocks and detachable instrument stopcock
253-900-101 6° direction of view
253-900-151 15° direction of view



Operating Sheath
1 253-900-110* 26 Charr.
2 253-900-111 24 Charr.

Hollow Obturator
1 253-900-115* 26 Charr.
2 253-900-116 24 Charr.

Percutane Nephroscopy, 250mm length

PCNL



RZ Nephroscope, oblique view, with 2 Luer-Lock stopcocks and detachable instrument stopcock, 250mm working length

253-900-120 6° direction of view
253-900-160 15° direction of view

253-900-105 Stopcock, only for use with RZ Nephroscopes (including: 253-900-100 and 253-900-101)



Nephroscope Scope, oval instrument channel, parallel eye piece, 250mm working length

253-900-121 6° direction of view
253-900-161 15° direction of view



Operating Sheath

1 253-900-130* 26 Charr.
2 253-900-131 24 Charr.

Hollow Obturator

1 253-900-135* 26 Charr.
2 253-900-136 24 Charr.

253-900-155* Amplatz Metal Dilator set containing 6 Dilators (9, 12, 15, 18, 21, 24 Charr.)
2 flexible and 2 rigid guide rods for use with guide wires

Amplatz Metal Dilator
253-900-156* 27 Charr.
253-900-157* 30 Charr.



253-900-201* Puncture Cannula with inner and outer cannula

253-900-202* Dilation Cannula, 3mm ∅ with inner and outer cannula

253-900-200 Sterile disposable Guide wire, J-tip, flexible, 150cm length



Stone Grasping forceps with fenestrated jaws,
double action, with flushing port
253-900-210* 360mm working length
253-900-250* 430mm working length

Stone Grasping forceps with coarse serrated jaws,
double action
253-900-212* 360mm working length
253-900-252* 430mm working length

Biopsy forceps with sharp cup,
single action
253-900-211 360mm working length
253-900-251 430mm working length

Scissors, sharp tip,
single action
253-900-213 360mm working length
253-900-253 430mm working length

Stone Grasping Forceps with spring handle and finger platform
∅ 4mm, Luer-Lock connection



Fenstrated jaws
253-900-205 360mm
253-900-245 450mm

3 prongs
253-900-206 360mm
253-900-246 450mm

Knives, with three-ring-handle, 10.5Charr., 360mm length



253-900-238
Straight Knife

253-900-239
Sickle Knife

12 Charr. MINI NEPHROSCOPE



253-900-140* Mini Nephroscope, 12° direction of view, 220mm working length

12 CHARR. ∅ SHAFT

7.5 CHARR. WORKING CHANNEL*

* for use with instruments up to 5 Charr.

253-905-400
Silicone Valve,
package with 5 pieces

253-900-010
Silicone Valve, package with 10 pieces,
for use with very delicate instruments
from 0.5 – 1.6mm diameter.

OPERATING SHEATHS
for use with RZ Mini Nephroscope

Mini PCNL Sheaths with valve



253-900-141* 15.0 Charr. ●

253-900-142* 16.5 Charr. ●



253-900-143* 21.0 Charr. ●

Mini PCNL Sheaths

253-900-171 15.0 Charr.

253-900-175 16.5 Charr.

253-900-173 21.0 Charr.

One-Step Dilators with 1 cental guide wire channel

253-900-146* for 253-900-141

253-900-147* for 253-900-142, with 1 excentric guide wire channel

253-900-148* for 253-900-143, with 1 excentric guide wire channel



253-900-145* 2-piece Sealing Adapter with sheath
and obturator for use with 253-900-141

RZ NEPHROSCOPY INSTRUMENTS

semi-rigid, 5 Charr.



Stone Grasping Forceps,
double action jaws, retrograde serration
253-950-455* 450mm working length



Stone Grasping Forceps
for large stones, double action jaws, 1 x 1 teeth
253-952-455* 450mm working length

Hamada Long Stone Grasping Forceps,
double action jaws, fine serrated
253-954-455 450mm working length

Biopsy Forceps,
double action jaws
253-956-455* 450mm working length

Scissors,
single action jaws
253-958-455 450mm working length





253-960-360* Stone Grasping Forceps, rigid, 5 Charr., 400mm,
for grasping of bigger stones and -fragments
triple toothed jaw, U-spring handle

253-900-200 Sterile disposable Guide wire, J-tip, flexible, 150cm length

*

RZ COMPACT NEPHROSCOPE

220mm working length



Compact Nephroscope, including Irrigation-Valve-Adapter 253-900-000
18.8 Charr., 12.9 Charr working channel

253-900-815 15°
253-900-815 30°



Suitable Shaft, with obturator, 23 Charr., 220mm working length

253-900-888

253-900-000
Irrigation-Valve-Adapter

URETERO-RENOSCOPY



RZ URETERO-RENOSCOPES

- FullHD 50.000 pixel fiber system
- Semi-flexible shaft
- Silicone valve system with 2 parallel sealings
- Large working channels
- Irrigation/suction channels



New sealing system



Atraumatic tip design

Tapered shaft



90° stopcocks

5° direction of view
65° field of view

ADVANCED SEMI-RIGID URETERO-RENOSCOPES

standard LINE

253-905-540* 425mm
253-905-530 310mm

7.5 CHARR.	9.0 CHARR.	13 CHARR.	5.8 CHARR.
DISTAL TIP	DISTAL	PROXIMAL	WORKING CHANNEL*

* for use with instruments up to 5 Charr.

slim LINE

253-910-540* 425mm
253-910-530 310mm

6.0 CHARR.	7.5 CHARR.	10.5 CHARR.	5.0 CHARR.
DISTAL TIP	DISTAL	PROXIMAL	WORKING CHANNEL*

* for use with instruments up to 4 Charr.

superslim LINE

253-915-540* 425mm
253-915-530 310mm

5.0 CHARR.	6.5 CHARR.	8.0 CHARR.	4.0 CHARR.
DISTAL TIP	DISTAL	PROXIMAL	WORKING CHANNEL*

* for use with instruments up to 3 Charr.

5 / 4 Charr. INSTRUMENTS

- 360° rotating mechanism
- Color coded
- Lotus - effect on the surface
- Automatic closing system



600mm working length

Stone Grasping Forceps,
double action jaws
253-950-005* 5 Charr, rigid
253-950-004* 4 Charr, rigid
253-951-005 5 Charr, flexible
253-951-004 4 Charr, flexible

Stone Grasping Forceps for large stones,
double action jaws
253-952-005* 5 Charr, rigid
253-952-004* 4 Charr, rigid
253-953-005 5 Charr, flexible
253-953-004 4 Charr, flexible

HAMADA long Stone Grasping Forceps,
ouble action jaws
253-954-005* 5 Charr, rigid
253-954-004* 4 Charr, rigid
253-955-005 5 Charr, flexible
253-955-004 4 Charr, flexible

Biopsy Forceps,
double action jaws
253-956-005* 5 Charr, rigid
253-956-004* 4 Charr, rigid
253-957-005 5 Charr, flexible
253-957-004 4 Charr, flexible

Scissors,
single action
253-958-005* 5 Charr, rigid
253-958-004* 4 Charr, rigid
253-959-005 5 Charr, flexible
253-957-004 4 Charr, flexible

5 / 4 Charr. INSTRUMENTS

600mm working length



Fenestrated Grasping Forceps,
double action jaws
253-944-005 5 Charr, semi-rigid
253-945-005 5 Charr, flexible

Fenestrated Grasping Forceps,
double action jaws
253-944-004 4 Charr, semi-rigid
253-945-004 4 Charr, flexible

3 Charr. INSTRUMENTS

600mm working length



Stone Grasping Forceps,
double action jaws
253-950-003 rigid
253-951-003 flexible

Stone Grasping Forceps for
large stones, double action jaws
253-952-003 rigid
253-953-003 flexible

HAMADA long Stone Grasping
Forceps, double action jaws
253-954-003 rigid
253-955-003 flexible

Biopsy Forceps,
double action jaws
253-956-003 rigid
253-957-003 flexible

Scissors,
single action
253-958-003 rigid
253-959-003 flexible

FLEXIBLE INSTRUMENTS



253-960-025 Stone Basket, 2.5 Charr., sterile, single use, package of 5 pieces

253-962-003 Brush for Cytology, 3.0 Charr., for single use, package of 5 pieces

253-940-005 3-Prongs Grasper, flexible, 600mm working length, 5 Charr.

253-585-005 Dormia Metal Stone Basket, flexible, 4 wires, 600mm working length, 5 Charr.

Accessories

253-905-400
Silicone Valve,
package with 5 pieces

253-900-010
Silicone Valve, package with 10 pieces,
for use with very delicate instruments
from 0.5 – 1.6mm diameter.



600-662-077
Endoscopic wire basket for URS
640 x 150 x 77mm

253-905-000
Container for URS with silicone inserts
640 x 140 x 60mm

PEDIATRIC



CYSTO-URETHROSCOPE SET FOR NEW BORN

RZ Cystoscope, ∅ 2.0mm
253-221-030 30°
253-221-000 0°



253-200-007 Cysto-Urethroscope Sheath, 7.5 Charr.



253-200-009 Cysto-Urethroscope Sheath, 9 Charr.,
with 3 Charr. Instrument Channel

3 Charr. Instruments for new born set



253-202-003
Alligator Grasping Forceps

253-204-003
Biopsy Forceps

253-370-253
Ball Electrode, 250mm length



253-371-253
Needle Electrode, 250mm length

∅ 2.0mm PEDIATRIC CYSTOSCOPY





RZ Pediatric Fiber Cystoscope ∅ 2.0mm, 187.5mm length
253-219-100 0°
253-219-130 30°



253-200-075 Pediatric Cystoscope Sheath, 7.5 Charr.



253-200-095 Pediatric Cystoscope Sheath, 9.5 Charr.
with 4 Charr. instrument channel



253-200-011 Pediatric Cystoscope Sheath, 11 Charr.
with 5 Charr. instrument channel

Ø 2.7mm PEDIATRIC CYSTOSCOPY



RZ Pediatric Cystoscope, 2.7mm diameter, 187.5mm working length

253-227-000 0°
253-227-030 30°
253-227-070 70°



253-220-011 Pediatric Cystoscope Sheath, 11 Charr.
with 3 Charr. working channel



253-220-014 Pediatric Cystoscope Sheath 13 Charr.
with 3 Charr. working channel, for use
with Bridge or Albarran deflecting mechanism



253-220-025
Albarran deflecting mechanism for use with 253-220-014

253-220-030
Bridge for use with 253-220-014

3 Charr. Instruments for Ø 2.0 / 2.7mm Pediatric Cystoscopy



253-202-003
Alligator Grasping Forceps

253-204-003
Biopsy Forceps

253-370-253
Ball Electrode, 250mm length

253-371-253
Needle Electrode, 250mm length

Ø 2.9mm ADOLESCENT CYSTOSCOPY



RZ Cystoscope, ∅ 2.9mm
253-829-000 0°
253-829-030 30°



253-310-014 Cysto-Urethroscope Sheath 15 Charr., with Obturator and integrated working channel for 5 Charr. flexible instruments and 2 lateral Luer-Lock stopcocks ●



253-310-015 Cysto-Urethroscope Sheath 16 Charr., with Obtuator and 2 lateral Luer-Lock stopcocks ●

1 253-310-100 Telescope bridge without channel
2 253-310-101 Telescope bridge with 1 channel for use with 253-310-014 and 5 Charr. flexible instruments



253-310-107 Albarran deflecting mechansim with 1 channel for 253-310-014, for use with one 5 Charr. instrument

∅ 2.0mm
PEDIATRIC RESECTOSCOPE



MONOPOLAR



RZ Pediatric Fiber Cystoscope ∅ 2.0mm, 187.5mm length
253-219-100 0°
253-219-130 30°

253-250-200 Passive working element for use with ∅ 2.0mm RZ Fiber Cystoscope 253-219-100



253-250-211 Resectoscope Sheath, 11 Charr. with obturator ●



253-250-213 Resectoscope Sheath, 13 Charr. with obturator ●

Electrodes



	11 CHARR.	13 CHARR.
Cutting Loop	253-251-111	253-252-111
Coagulation Electrode, blunt	253-251-112	253-252-112
Hook Electrode with ball	253-251-113	253-252-113
Hook Electrode without ball	253-251-114	253-252-114
Needle Electrode, pointed	253-251-115	253-252-115

19 / 22 Charr. RESECTOSCOPY



MONOPOLAR

RZ Cystoscope, ∅ 2.9mm
253-829-000 0°
253-829-030 30°

253-000-552 Standard Resectoscope Sheath for slim resectoscope, 19 Charr.



253-000-352 Resectoscope Sheath 22 Charr., rotating inner tube for continuous suction / irrigation

19 / 22 Charr. RESECTOSCOPY



253-000-210 Passive Working Element



253-000-211 Active Working Element

Electrodes

19 CHARR. 22 CHARR.

Cutting Loop, angled	253-000-501
Cutting Loop, straight	253-000-502
Coagulation Electrode, Knife	253-000-503
Coagulation Electrode, Ball	253-000-505
Coagulation Electrode, Roller	253-000-507

Ø 2.0mm
PEDIATRIC URETHROTOME





RZ Pediatric Fiber Cystoscope ∅ 2.0mm, 187.5mm working length
253-219-100 0°
253-219-130 30°

253-250-200 Passive working element for use with ∅ 2.0mm RZ Fiber Cystoscope 253-219-100



253-265-010
Pediatric Urethrotome sheath
10 Charr. with obturator

253-255-001 Bridge with 1 channel

Electrodes

Knife with straight cutting edge	253-265-101
Round knife	253-265-102
Sickle Knife	253-265-103
Hook Knife	253-265-104

18.5 Charr. HYBRID RESECTOSCOPY



∅ 2.9 mm

Endoscopes, suitable for HYBRID 18.5 Charr. System, autoclavable, ∅ 2.9mm

351-829-000 0°
351-829-012 12°
351-829-030 30°

Sheath and Working Elements,
suitable for HYBRID 18.5 Charr. System



351-000-185 Resectoscope Continuous Flow Sheath,
with rotating sheath, incl. obturator, with QuickLocking

351-000-180 Visual Obturator, with 5 Charr. working channel

351-400-200 **Passive** Titanium Working Element



351-400-201 **Active** Titanium Working Element

Electrodes, 16 Charr., suitable for HYBRID 18.5 Charr. System

	Cutting Loop	351-000-201
	Cutting loop, straight	351-000-202
	Cutting loop, straight	351-000-203
	Ball Electrode	351-000-205
	Roller Electrode, 2mm	351-000-206

RZ PEDIATRIC CYSTO-URETHROTOMES

standard LINE

253-200-100 150mm

7.5 CHARR.	9.5 CHARR.	6.0 CHARR.
DISTAL	PROXIMAL	WORKING CHANNEL*

* for use with instruments up to 5 Charr.

slim LINE

253-200-500 150mm

6.0 CHARR.	7.5 CHARR.	5.0 CHARR.
DISTAL	PROXIMAL	WORKING CHANNEL*

* for use with instruments up to 4 Charr.

superslim LINE

253-200-600 150mm

4.5 CHARR.	6.0 CHARR.	3.5 CHARR.
DISTAL	PROXIMAL	WORKING CHANNEL*

* for use with instruments up to 3 Charr.

INSTRUMENTS FOR PEDIATRIC CYSTO-URETHROTOMES

280mm working length, semi-rigid



	5.0 CHARR.	4.0 CHARR.	3.0 CHARR.	
	253-200-128	253-204-128	253-203-128	Stone Grasping Forceps, double action jaws
	253-200-228	253-204-228	253-203-228	Large Stone Grasping Forceps, double action jaws
	253-200-328	253-204-328	253-203-328	Biopsy Forceps, double action
	253-200-428	253-204-428	253-203-428	Scissors, single action

530mm working length, flexible

	5.0 CHARR.	4.0 CHARR.	3.0 CHARR.	
	253-370-005	253-370-004	253-370-003	Ball Electrode
	253-371-005	253-371-004	253-371-003	Needle Electrode



253-200-200 Hook Knife, 280mm working length, 3 Charr.



253-200-210 Injection Cannula, 350mm working length, 3 Charr.

HIGH FREQUENCY CABLES
for RZ pediatric resectoscope systems, 4.5m length

MONOPOLAR

253-610-001* with 5 mm plug for Erbe HF-unit

253-610-002* with 4 mm plug for Martin HF-unit

253-610-003* with 8 mm plug for Valleylab HF-unit

253-610-004* with 4 mm plug for older HF-units

700-501-453* SDS plug



BIPOLAR

253-400-601 for Erbe HF-unit

253-400-602 for Martin HF-unit

700-500-453 SDS plug

700-400-606 for BOWA



DEVICES AND FLEXIBLE INSTRUMENTS



*



253-800-000 Flexible Cystoscope

Shaft size: 15.5 Charr.
Working Channel: ∅ 7 Charr.
Angulation up/down: 210°/120°
Working length: 380mm

Shaft size: 15.5 Charr. Slimline Sheath for easy insertion



Angulation: 210°/120°

7 Charr. working channel

Universal suction system

253-800-900 Flexible Uretero-Renoscope

Shaft size: 7.5 Charr.
WorkingChannel: ∅ 3.6 Charr.
Angulation up/down: 275°/275°
Working length: 680mm

Shaft size: 7.5 Charr.
Slimline sheath for
easy insertion

Angulation:
275° / 275°

3.6 Charr. working
channel

Ergonomic grip

Stone Baskets, tipless, ball shape, 120cm length, ∅12mm, nitinol, sterile, single use



253-960-013 1.3 Charr.



253-960-019 1.9 Charr.

253-900-001
Uretero-Renoscope carrying case

ACCESSORIES



SYRINGES & EVACUATORS

with Turn Lock connection to connect to RZ Cystoscope and Resectoscope sheaths

Bladder Syringe

253-000-975	75cc
253-000-900	100cc
253-000-950*	150cc

Spare Glass Cylinder

253-000-976	75cc
253-000-901	100cc
253-000-951	150cc

Spare glass cylinder

253-000-810 Attachment for bladder catheters for use with Toomey syringes



Ellik Evacuator

253-500-000	with turn lock connection
253-500-001	with standard connection

1	253-500-003	Rubber ball
2	253-500-004	Glass body
3	253-500-020	Turn Lock connector with silicone tube
4	253-500-010	Standard connector with silicone tube

ADAPTORS & VALVES

300-011-181* Luer-Lock tube connector, 9mm

300-011-506* Luer-Lock tube connector, 6mm

300-011-184* Luer-Lock Tuohy Borst Adapter



300-011-178 Luer-Lock one-way stop-cock with spring screw cap

300-011-179* Luer-Lock tube connector with stopcock

300-011-515* Luer-Lock one-way stopcock

351-905-110 Silicone Valve, reusable, for instruments up to ∅1.8mm (5.5Charr.), with LL-Connection, 10pcs. per package

301-701-100* Grey Rubber cap for use on all working channels

351-905-105 Disposable Silicone Valve with Luer-Lock connection for use with 3 - 10 Charr. instruments, package with 10 pieces, sterile packed

---

300-400-900* Rubber Seal for Luer-Lock connectors

300-400-901* Rubber Seal for Luer-Lock connectors

CATHETERS



Guyon Catheter Spanner & Introducer

1	253-310-390*	curved, 390mm
2	253-310-391	straight, 390mm
	253-310-392	straight, 455mm
	253-310-393	straight, 510mm

320-603-455 Foley Catheter Spanner & Introducer, curved, 455mm

Catheter for male

320-720-080	8 Charr.	320-720-180	18 Charr.
320-720-100	10 Charr.	320-720-200	20 Charr.
320-720-120	12 Charr.	320-720-220	22 Charr.
320-720-140	14 Charr.	320-720-240	24 Charr.
320-720-160	16 Charr.		

Catheter for female

320-721-080	8 Charr.
320-721-100	10 Charr.
320-721-120	12 Charr.
320-721-140	14 Charr.
320-721-160	16 Charr.
320-721-180	18 Charr.
320-721-200	20 Charr.
320-721-220	22 Charr.
320-721-240	24 Charr.



Rotunda Catheter, s-curved

320-723-080	8 Charr.
320-723-100	10 Charr.
320-723-120	12 Charr.
320-723-140	14 Charr.
320-723-160	16 Charr.
320-723-180	18 Charr.
320-723-200	20 Charr.
320-723-220	22 Charr.
320-723-240	24 Charr.

BOUGIES

Guyon Bougie, strongly curved

253-340-335*	8 Charr.	253-349-335*	22Charr.	253-354-335*	28Charr.
253-341-335	9 Charr.	253-350-335*	24Charr.	253-355-335*	30Charr.
253-342-335*	10 Charr.	253-351-335	25Charr.	253-356-335	32Charr.
253-343-335	11 Charr.	253-352-335*	26Charr.	253-357-335	34Charr.
253-344-335*	12 Charr.	253-353-335	27Charr.		
253-345-335*	14 Charr.				
253-346-335*	16 Charr.				
253-347-335*	18 Charr.				
253-348-335*	20 Charr.				



Van Buren Bougie, acutely curved

253-650-010*	10 Charr.	253-650-024*	24 Charr.
253-650-012*	12 Charr.	253-650-026*	26 Charr.
253-650-014*	14 Charr.	253-650-028*	28 Charr.
253-650-016*	16 Charr.	253-650-030*	30 Charr.
253-650-018*	18 Charr.	253-650-032	32 Charr.
253-650-020*	20 Charr.	253-650-034	34 Charr.
253-650-022*	22 Charr.	253-650-036	36 Charr.



Dittel Bougie, slightly curved

253-320-335*	8 Charr.	253-329-335*	22 Charr.
253-321-335	9 Charr.	253-330-335*	24 Charr.
253-322-335*	10 Charr.	253-331-335	25 Charr.
253-323-335	11 Charr.	253-332-335*	26 Charr.
253-324-335*	12 Charr.	253-333-335	27 Charr.
253-325-335*	14 Charr.	253-334-335*	28 Charr.
253-326-335*	16 Charr.	253-335-335*	30 Charr.
253-327-335*	18 Charr.	253-336-335	32 Charr.
253-328-335*	20 Charr.	253-337-335	34 Charr.



BOUGIES & DILATORS

OTIS Bougie à Boule

253-370-009	9 - 12 - 15 - 18 Charr.
253-370-021	21 - 24 - 27 - 30 Charr.

Dittel Bougie, straight

253-320-225	8 Charr.	253-329-225	22 Charr.
253-321-225	9 Charr.	253-330-225	24 Charr.
253-322-225	10 Charr.	253-331-225	25 Charr.
253-323-225	11 Charr.	253-332-225	26 Charr.
253-324-225	12 Charr.	253-333-225	27 Charr.
253-325-225	14 Charr.	253-334-225	28 Charr
253-326-225	16 Charr.	253-335-225	30 Charr.
253-327-225	18 Charr.	253-336-225	32 Charr.
253-328-225	20 Charr.	253-337-225	34 Charr.

RZ Orifice Dilator

253-375-010	10 - 20 Charr.
253-375-015	15 - 30 Charr.

Ureteral Dilator, flexible, 500mm

253-920-090 9.0 Charr.

253-920-105 10.5 Charr.

253-920-120 12.0 Charr.

253-920-135 13.5 Charr.

253-920-150 15.0 Charr.



320-998-000 Stockmann Meatus Clamp, 8cm



320-999-000* Strauss Penis Seizing Forceps, 13cm

CLEANING



SAFE + CLEAN ENDOSCOPE PLASTIC CONTAINER

with silicone bars on base and lid

600-505-000	
Endoscopes	1 (∅ 1-10mm)
Endoscope length	max. 270mm
Dimensions	271 x 70 x 35mm



600-505-002	
Endoscopes	max. 2
Endoscope length	max. 190mm
Dimensions	271 x 70 x 35mm



600-506-002*	
Endoscopes	max. 2
Endoscope length	max. 390mm
Dimensions	394 x 70 x 35mm



600-501-000	Endoscopes 1
600-501-002	Endoscopes max. 2
Endoscope length	max. 450mm
Dimensions	457 x 70 x 35mm



ENDOSCOPE & INSTRUMENT CONTAINERS

600-508-000	for scopes and light guide cables
Endoscopes	max. 3 (∅ 5-10mm)
Fiber Optic Light Cable	1
Endoscope length	max. 450mm
Dimensions	465 x 212 x 51mm



600-464-229	for fixation of instruments with rubber ties
Dimensions	464 x 229 x 51mm

600-511-000	for instruments with rubber ties on 2 levels
Dimensions	502 x 239 x 102mm

ENDOSCOPE CLEANING BASKETS & CONTAINERS

with silicone bars on base and lid

600-292-052*	
Endoscopes	max. 2
Endoscope length	max. 190mm
Dimensions	290 x 80 x 52mm



600-462-052*	
Endoscopes	max. 2
Endoscope length	max. 350mm
Dimensions	460 x 80 x 52mm



600-460-055 600-460-056	Endoscopes 1 Endoscopes max. 2
Endoscope length	max. 340mm
Dimensions	455 x 86 x 43mm



600-450-070	
Endoscopes	max. 2
Endoscope length	max. 330mm
Dimensions	450 x 70 x 70mm





1/1	Stainless Steel Basket, round perforation, with lid
Length	545mm

600-540-535	545 x 255 x 35mm
600-540-555	545 x 255 x 55mm
600-540-575	545 x 255 x 75mm
600-540-605	545 x 255 x 105mm

Lid only

600-540-500	545 x 255 mm

Bottom only

600-540-530	545 x 255 x 30mm
600-540-550	545 x 255 x 50mm
600-540-570	545 x 255 x 70mm
600-540-600	545 x 255 x 100mm



600-281-004 Silicone Mat green, 520 x 230mm



1/1	Stainless Steel Basket, round perforation, with lid
Length	485mm

600-485-535 485 x 255 x 35mm
600-485-555 485 x 255 x 55mm
600-485-575 485 x 255 x 75mm
600-485-605 485 x 255 x 105mm



Lid only
600-485-500 485 x 255 mm



Bottom only
600-485-530 485 x 255 x 30mm
600-485-550 485 x 255 x 50mm
600-485-570 485 x 255 x 70mm
600-485-600 485 x 255 x 100mm

600-281-003 Silicone Mat green, 440 x 230mm



3/4	Stainless Steel Basket, round perforation, with lid
Length	405mm

600-405-535	405 x 255 x 35mm
600-405-555	405 x 255 x 55mm
600-405-575	405 x 255 x 75mm
600-405-605	405 x 255 x 105mm

Lid only

600-405-500	405 x 255 mm

Bottom only

600-405-530	405 x 255 x 30mm
600-405-550	405 x 255 x 50mm
600-405-570	405 x 255 x 70mm
600-405-600	405 x 255 x 100mm



600-281-002 Silicone Mat green, 380 x 230mm

1/2	Stainless Steel Basket, round perforation, with lid
Length	255mm

600-255-535 255 x 245 x 35mm
600-255-555 255 x 245 x 55mm
600-255-575 255 x 245 x 75mm
600-255-605 255 x 245 x 105mm

Lid only
600-255-500 255 x 245 mm

Bottom only
600-255-530 255 x 245 x 30mm
600-255-550 255 x 245 x 50mm
600-255-565 255 x 245 x 70mm
600-255-600 255 x 245 x 100mm

600-281-001 Silicone Mat green, 220 x 230mm

600-100-000
RZ-Aquajet
Water Jet Pistol complete with 9 tips and 1m pressure tubing, with strap and suspension hook

600-050-000
Hand brush, autoclavable
(10 pcs. per box)

600-950-100
RZ - Brush dispenser
for 10 brushes with suspension hook

700-900-220 Special Cotton for polishing metal sheaths and instruments



660-166-100
Holding Device for cleaning & sterilization

700-900-160
Instrument Oil in 50ml bottle

700-900-250
Oil Dispenser, 140mm

Cleaning brush (1 piece per box), 500mm length
300-135-905 for ∅ 5 mm
300-135-910 for ∅ 10 mm

300-215-000 Cleaning Brush, ∅ 13mm, 215mm length, 60mm brush length



300-420-065 Cleaning Brush, ∅ 3mm, 420mm length, 65mm brush length

EQUIPMENT

FLUID MANAGEMENT

Features:
- Versatile Irrigation Pump
- Pump leveling adjustment
- Pressure controlled roller pump

DELIVERY CONTAINS:
- Pump device
- Tubing set (253-910-001)
- Mains cable
- 2 Spare fuses
- Operating manual

253-910-000 Basic Irrigation Pump P1

Technical data

Line voltage	100-240 VAC
Power input	80VA
Irrigation power	0 - 1.0L/min
Pressure range	10 - 150mmHG
Measurements	380 x 130 x 400mm (WxHXD)
Weight	approx. 11kg

Accessories

253-910-001	Irrigation Tubing Set, silicone, autoclavable	non-sterile	included
253-910-002	Irrigation Tubing Set, PVC, 20 pieces, daily tube	sterile	optional
253-910-003	Patient tube, PVC, 2.5m, 40 pieces	sterile	optional



4K CAMERA SYSTEM

300-001-840 4K 3-Chip UHD-Camera K 4000

4K

Features:
- 4K UHD resolution with 3-chip technology
- Image algorithm enhancement of color and structure
- 4K video recording
- 4K image saving
- Camera head with 4 programmable buttons
- Boost function
- Fog reduction
- Freeze function
- 2.5x digital zoom
- 10 USER mode configurations
- Multilingual on screen menu
- SDI 4K Output
- Text generator (optional with keyboard)

DELIVERY CONTAINS:
- Main Unit (300-001-840)
- Camera head (300-001-841)
- HDMI cable
- USB Pen Drive
- Mains cable
- Operating manual

Technical data

Line voltage	100-240 VAC
Power consumption	60VA
Image sensor	3 MOS
Resolution	3840 x 2160 pixels (4K)
Index ratio	16:9
N/N ratio	54db

Video outputs	1x HDMI 4K 1x HDMI FullHD 1x SDI 4K 1x SDI FullHD
Dimensions	Control unit: 355 x 103 x 350mm (WxHxD) Weight control unit: 6.2kg Weight camera head: 145g

Accessories

300-001-841
UHD 3-Chip Camera Head
(included in the set)

300-001-615
Title generator keyboard, waterproof IP68
US-Layout, cable 1.8m, color: grey,
305x140x15mm, 600gr.

300-001-610
Footswitch for HD Cameras
cable length: 2m

FULL HD CAMERA SYSTEM

Features:
- Full HD camera with 3-chip MOS technology
- Pure Natural Colors technology
- Full HD video recording (F4 only)
- Full HD image saving (F4 only)
- Camera head with 3 programmable buttons
- Boost function
- Freeze function
- 2.5x digital zoom
- 3 USER mode configurations
- Multilingual on screen menu
- Different digital video outputs
- Text generator (optional with keyboard)

300-001-800	3 Chip HD-Camera F3
300-001-804	3 Chip HD-Camera F4 (with recording function)

FULL HD

DELIVERY CONTAINS:

- Main Unit • Camera head
- YPbPr/RGB cable • 2x BNC cable • Jack Cable
- HDMI - DVI cable • HDMI cable • S-Video cable
- USB Pen Drive (F4 only) • Mains cable
- Operating manual

Technical data

Line voltage	100-240 VAC
Power input	20W
Image sensor	3 MOS
Resolution	1920 x 1080 pixels (FullHD)
Image resolution	>1000 TV lines, horizontal
Index ratio	16:9
Min. sensitivity	< 3lx (1/1.4)
Shutter speed	1/50 (1/60) to 1/100.000sec

Video outputs (F4)	2 x HD SDI 1x HDMI / DVI 2x CVBS 1 x YPbPr / RGB 1 x Y/C (Pal/NTSC) 1x CVBS (Pal/NTSC)
Video outputs (F3)	1 x HDMI / DVI 1 x YPbPr (Component) 1 x Y/C (Pal/NTSC) 1x CVBS (Pal/NTSC)
Dimensions	Control unit: 380 x 120 x 360mm (WxHxD) Weight control unit: 11kg Weight camera head: 145g

Accessories

300-001-802
High-End 3-MOS Camera Head
FullHD (included in the set)

300-001-615
Title generator keyboard, waterproof IP68
US-Layout, cable 1.8m, color: grey,
305x140x15mm, 600gr.

300-001-610
Footswitch for HD Cameras
cable length: 2m

FULL HD CAMERA SYSTEM

Features:
- Full HD camera with 1-chip MOS technology
- Natural color technology
- Full HD video recording (F2 Pro only)
- Full HD image saving (F2 Pro only)
- Camera head with 3 programmable buttons
- Boost function
- Freeze function
- 2.5x digital zoom
- 3 USER mode configurations
- Multilingual on screen menu
- HDMI video outputs
- Text generator (optional with keyboard)

300-001-600 HD-Camera F1
300-001-601 HD-Camera F2 Pro (with recording function)

FULL HD

DELIVERY CONTAINS:

- Main Unit • Camera head
- YPbPr/RGB cable • 2x BNC cable
- HDMI - DVI cable • HDMI cable • S-Video cable
- Jack cable • USB Pen Drive (F2 Pro only)
- Operating manual • Mains cable

Technical data

Line voltage	100-240 VAC
Power input	F2 Pro: 30W / F1: 20W
Image sensor	1/3" MOS
Resolution	1920 x 1080 pixels (FullHD)
Image resolution	>1000 TV lines, horizontal
Index ratio	16:9
Min. sensitivity	< 3lx (1/1.4)

Video outputs (F2 Pro)	2 x HD SDI (optional) 1 x HDMI / DVI 1 x Y-Pb-Pr (Component) 1 x Video (PAL/NTSC) 1x S-Video (PAL/NTSC)
Video outputs (F1)	1 x HDMI 1 x YPbPr / RGB 1 x S-Video (Y/C; Pal / NTSC) 1 x Video (CVBS; Pal / NTSC)
Dimensions	Control unit: 380 x 120 x 360mm (WxHxD) Weight control unit: 11kg Weight camera head: 105g

Accessories

300-001-602
High-End 1/3" MOS Camera H ead
Full HD (included in the set)

300-001-615
Title generator keyboard, waterproof IP68
US-Layout, cable 1.8m, color: grey,
305x140x15mm, 600gr.

300-001-610
Footswitch for HD Cameras
cable length: 2m

TV COUPLER

4K FULL HD

300-001-823 f=14mm
300-001-824 f=25mm
300-001-825 f=28mm
c-mount, soakable

4K FULL HD

250-015-030
Zoom-TV-Adapter
f=15 - 30mm
c-mount, soakable



FULL HD

250-020-025 F=25mm (splitting 90/10)
250-020-030 F=30mm (splitting 90/10)
Beamsplitter, allows simultaneous video
and direct views, c-mount, soakable

FULL HD

300-001-813 f=14mm
300-001-814 f=25mm
300-001-815 f=28mm
c-mount, soakable

LED LIGHT SOURCE

Features:
- 6500K daylight color temperature
- 375 Watt equivalent output power
- > 20.000 hours lifetime
- Turret connector for the most common light cables (Olympus, Wolf, Gyrus ACMI, Storz)
- Manual or automatic light control
- Waterproof touch control panel
- Low heat conduction by improved LED technology
- Boost function: light increase of 20%

300-900-300 LUMEN LED 3 PRO Light Source, 110 - 230V

LED

Technical data

Line voltage	100-240 VAC
Video input	1x Video, BNC
Protection class	1 (acc. IEC 60601-1) 1 (acc. MDD 93/42/EEC)
Safety class	BF
Standard	IEC 60601-1-2
Dimensions	380 x 120 x 360mm (WxHxD)
Weight	approx. 11kg

DELIVERY CONTAINS:
- Main Unit (300-900-300)
- BNC cable (optional)
- Mains cable
- Operating manual

A OLYMPUS

B WOLF

C GYRUS ACMI

D STORZ

Turret, multi connector

LED LIGHT SOURCE

Features:
- More than 20.000h lamp lifetime
- 180 Watt equivalent power output
- Manual or automatic light control
- Waterproof touch control panel
- Low heat conduction by improved LED technology
- Daylight color temperature 6000 – 6500° K for accurate color representation
- Boost function: light increase of 20%

300-900-180 LUMEN LED 1 Light Source

LED

DELIVERY CONTAINS:
- Main Unit (300-900-180)
- BNC cable
- Mains cable
- Operating manual

Technical data

Line voltage	100-240 VAC
Power consumption	130VA
Video input	1x Video, 1x S-Video (Y/C) (automatic version only)
Protection class	1 (acc. IEC 60601-1) 1 (acc. MDD 93/42/EEC)
Safety class	BF
Dimensions	380 x 120 x 360mm (WxHxD)
Weight	approx. 11kg

HIGH TEMPERATURE LED/XENON LIGHT CABLES

Adaptor pieces to use with **endoscope**

250-042-000
RZ/Storz/Olympus

250-040-000
Wolf

250-041-000
ACMI/British Standard

XENON/LED Light Guide Cables
with melt and bending protection

250-025-230	∅ 2.5 mm, 2300 mm
250-025-300	∅ 2.5 mm, 3000 mm
250-035-180	∅ 3.5 mm, 1800 mm
250-035-230	∅ 3.5 mm, 2300 mm
250-035-300	∅ 3.5 mm, 3000 mm
250-048-180	∅ 4.8 mm, 1800 mm
250-048-230	∅ 4.8 mm, 2300 mm
250-048-300	∅ 4.8 mm, 3000 mm

Adaptor pieces to use with **light source**

250-039-000
RZ/Storz

250-038-000
ACMI/CUDA

250-048-000
Luxtec

250-051-000
Stryker

250-037-000
Wolf

250-044-000
Olympus

250-045-000
Olympus - Standard

250-052-000
Heine

250-059-000
Pentax

COMPATIBILITY NOTE:
A fiber optic cable with a large diameter should not be connected to a smaller diameter scope.
For example: ∅ 4.8mm fiber optic cables connected to a ∅ 2.9mm may risk
high temperature at the light entry of the endoscope and may risk patient safety.

ELECTROSURGICAL GENERATOR



Features:
- Monopolar/bipolar cutting and coagulation
- Automatic identification of connected instruments
- Powerstart System simplifies the beginning of cutting process
- Automatic power regulation
- 105 different memory locations in 7 groups
- Various output configuration of the sockets available
- 10" Touchscreen
- Tiltable display
- Footswitch (optional)
- Available with Argon and / or the RZeal
- Real-time output monitoring

700-350-400 230V
700-350-410 110V
G400 Electrosurgical Generator

DELIVERY CONTAINS:

- Main Unit
- Mains Cable

(Footswitch not included)

Technical data

Line voltage	110-230 VAC
Power consumption	500W
Generator operation frequency	333kHZ
Display	TFT 10"
Defibrilation impulse resistance	acc. to to EN 60601-1
NEM system	neutral electrode control optical indication 7 levels required restistance < 240 Ω
Gas type	pure argon 4.8 (99,998%) or higher
Inlet gas pressure	0.25-0.4 [MPa]
Monopolar coagulation / cutting **Bipolar coagulation / cutting**	200W / 400W 400W / 400W

Gas outflow	0.1-10 l/min, regulated 0.1 l/min in whole range
Pressure range	reducer (0.4 MPa) on argon cylinder
Vessel sealing system	9 effects/300W
AutoStop	automatic stop of sealing process after achieving the optimal effect
Dimensions	495 x 415 x 225mm (LxWxH)
Weight	12.2kg

Accessories

700-350-405
2-Button-Footswitch, length: 5m

700-350-402
3-Button-Footswitch, length: 5m, quick access key

Disposable Neutral Electrode
hydrogel, split, for adults or children
10x5 pcs. per package
700-503-000 Adults
700-503-001 Children

Cable for Disposable Neutral Electrode
5m, RZ compatible only
700-503-003

ELECTROSURGICAL GENERATOR

Features:
- Monopolar/bipolar cutting and coagulation
- Automatic instrument detection system
- Intuitive Touchscreen
- Automatic power regulation
- Configurable working modes
- Real-time parameter control
- Special endoscopic modes
- Bipolar resection
- Easy software update

700-340-400 230V
700-340-410 110V
G44 Electrosurgical Generator

DELIVERY CONTAINS:
- Main Unit
- Mains Cable
(Footswitch not included)

Technical data

Line voltage	110-240 VAC
Power consumption	1100VA
Generator operation frequency	333kHz
Display	TFT 7" WVGA
Spectrum result system	automatic power regulation
Monopolar coagulation **Monopolar cutting** **Bipolar coagulation** **Bipolar cutting**	max. 200W (200Ω) max. 400W (100Ω) max. 400W (25Ω) max. 330W (150Ω)

NEM system	neutral electrode control, optical indication, required resistance < 240 Ω
Dimensions	385 x 305 x 141mm (LxWxH)
Weight	7kg

Accessories

700-350-405
2-Button-Footswitch, length: 5m

700-350-402
3-Button-Footswitch, length: 5m, quick access key

Disposable Neutral Electrode
hydrogel, split, for adults or children
10x5 pcs. per package
700-503-000 Adults
700-503-001 Children

Cable for Disposable Neutral Electrode
5m, RZ compatible only
700-503-003

LITHOTRIPTER

253-750-100 L100 Lithotripter

Features:
- Pure mechanical energy transmission
- The smallest probe diameter of 0.6mm
- Auxiliary instruments can also be inserted
- Very simple handling and cleaning
- Compatible to other RZ and other instruments for the therapy of ureteric, renal and bladder stones
- Non-conductive hand piece to ensure safety for patients as well as users

DELIVERY CONTAINS:

- Main Unit (253-750-100)
- Operating manual
- Mains cable

Technical data

Line voltage	115-230 VAC
Pneumatic power source	3.5 – 6.5 bar, compressed medical air
Pulse rate control (ppm)	50 – 600 ppm 10 ppm increments between 50 - 100 ppm 50 ppm increments between 100 - 600 ppm

Dimensions	254 x 113 x 305mm (WxHxD)
Weight	6.5kg

Accessories

Litho Probe, 605mm working length

253-850-006	0.6mm	253-850-016	1.6mm
253-850-008	0.8mm	253-850-020	2.0mm, 450mm length
253-850-010	1.0mm	253-850-025	2.5mm, 450mm length

253-750-150
Footswitch

253-750-200
Hand piece, annodised

253-750-010
Air compressor, 4 bar maximum

L100 Lithotripter Modular System Chart

Basic Unit
253-750-100/-101

Air pressure
Centralair pressure supply or
RZ Compressor
253-750-010

Hand Piece
253-750-200

Footswitch
253-750-150

	Handpiece + RZ Probes	Telescope + Sheaths	Auxillary Instruments

URETEROSCOPY



253-750-200

253-850-006
/-008/-010/-012

253-905-540

253-954-005

CYSTOSCOPY

253-750-200

253-850-020/-025

253-900-101

253-900-111
253-900-116

253-900-210

PERCUTANEOUS NEPHROSCOPY

253-750-200

253-850-020/-025

253-900-100

253-900-110
253-900-115

253-900-205

300-001-168
Endovue 32" HD Monitor

300-001-158
Endovue 24" HD Monitor

Technical data

Screen size	31.5" / 24" diagonal
Resolution	1920 x 1080
Aspect ratio	16:9
Viewing angle	178°
Numbers of colors	16.7 Million (8-bit)
Video Inputs	DVI-D, RGBS/VGA/YPbPr (HD-15 or DVI-I via adapter), S-Video, Composite
Video Outputs	DVI-D
Weight	8.8kg (300-001-168) 6.7kg (300-001-158)

300-001-232
Radiance 32" HD Monitor

300-010-226
Radiance 27" HD Monitor

Technical data

Screen size	32" / 27" diagonal
Resolution	1920 x 1080
Aspect ratio	16:9
Viewing angle	178°
Numbers of colors	1.07 Billion (10-bit)
Video Inputs	DVI-I and 3G-SDI Input/Output
Video Outputs	DVI-D
Weight	11.0kg (300-001-232) 8.9kg (300-010-226)

300-001-031
UHD 4K Monitor, 31"

Technical data

Screen size	31" diagonal
Resolution	4096 x 2160
Aspect ratio	17:9
Viewing angle	178°
Number of colors	1.08 Billion (10-bit)
Video Inputs	1 x HDMI 2.0 1 x DP 1.2 (SST) & 1 x DP 1.2 (MST) 1 x DVI (single link), 4 x SDI (3G)
Video Outputs	1 x DP 1.2 (SST) 1 x DVI (single link), 4 x SDI (3G)
Weight	10.5kg

300-001-055
UHD 4K Monitor, 55"

Technical data

Screen size	55" diagonal
Resolution	3840 x 2160
Aspect ratio	16:9
Viewing angle	178°
Numbers of colors	1.08 Billion (10-bit)
Video Inputs	1 x HDMI 2.0, 2 x DP 1.2 (55T) 1 x DVI (single link), 2 x DVI (dual link) 4 x SOi (3G), 2 x SOi (12G)
Video Outputs	1 x DVI (single link), 1 x DP 1.2 (SST) 4 x SDI (3G), 2x SDI (12G)
Weight	37.35kg

RESECTION SIMULATOR / TRAINER



Features:
- Essential hand movements can be learned
- Anatomical substrate can be detected and removed by using the resectoscope
- Usage in workshops, exhibitions or at the customer's location





900-253-000 GIUSEPPE Urological Simulator / Trainer, prostate and bladder, incl. pump and accessories, without substrates



Urological Substrate with and without anatomical structures

- Realistic tissue
- Myomas and Polyps structures
- Close to reality environment

	Quantity	Storable
900-253-001 Anatomical structure of the prostate	12	6 months
900-253-002 Anatomical structure of the bladder	6	3 months
900-253-003 Without anatomical structure	12	12 months

100-629-000 24
100-655-100 23
100-700-001 22
100-700-020 22
100-700-026 22
100-720-021 23
100-720-023 23
100-750-501 22
100-750-502 22
100-750-504 22
100-852-350 24
100-852-500 24
100-860-025 24
100-900-214 24
100-900-217 24
100-900-224 23
100-900-227 23
160-412-180 9
160-426-120 9
160-426-140 9
170-319-220 19
170-801-500 111
170-801-501 111
170-801-503 111
170-801-504 111
170-801-506 111
170-801-507 111
170-801-510 111
170-801-511 111
170-801-512 111
170-801-515 111
210-136-002 77
210-136-003 77
210-136-004 77
210-136-005 77
210-136-006 77
210-216-001 11
210-220-080 77
210-225-180 46, 77
210-395-160 78
210-396-170 78
210-539-060 78
210-541-080 78
225-019-000 51, 52
225-019-030 51, 52
225-019-130 51, 52
225-090-001 73
225-090-002 46, 73
225-090-004 46, 76
225-090-005 76
225-090-006 76
225-090-007 76
225-090-008 76
225-090-009 74
225-100-004 46
225-100-006 74
225-100-008 74
225-100-009 74
225-100-020 75, 76
225-100-022 75
225-100-023 75
225-100-025 76
225-100-029 76
225-100-034 76
225-100-038 46, 50, 76
225-100-041 76
225-100-115 46, 73
225-100-123 73
225-124-000 53
225-124-030 46, 53
225-140-000 56
225-140-030 56
225-140-045 56
225-140-070 56
225-224-000 54
225-224-030 54
225-224-070 54
225-227-000 55
225-227-030 55
225-227-070 55
225-305-020 46, 61
225-306-020 61
225-307-020 46, 61
225-308-020 61
225-309-020 61
225-310-020 46, 61
225-311-020 61
225-400-002 73
225-400-004 73
225-400-006 74
225-400-008 74
225-400-009 74
225-400-020 75
225-400-022 75
225-400-023 75
225-400-025 75
225-400-029 75
225-400-034 75
225-400-038 75
225-400-041 75
225-400-043 75
225-400-045 75
225-400-090 75
225-400-102 73
225-400-103 73
225-405-027 65
225-406-027 65
225-442-027 65
225-468-027 65
225-500-134 55
225-500-234 55
225-500-255 56
225-500-260 56
225-500-355 56
225-500-360 56
225-500-434 55
225-500-534 55
225-500-555 56
225-500-560 56
225-500-634 55
225-500-655 56
225-500-660 56
225-510-132 54
225-510-232 54
225-510-328 52
225-510-332 54
225-510-428 52
225-510-432 54
225-510-528 52
225-510-532 54
225-510-628 52
225-510-632 54
225-511-225 52
225-511-525 52
225-511-625 52
225-512-125 52
225-512-225 52
225-512-232 53

225-512-332 46, 53
225-512-532 46, 53
225-512-632 53
225-600-004 73
225-600-125 77
225-600-145 77
225-600-160 77
225-600-190 77
225-600-401 74
225-600-402 74
225-600-403 74
225-600-511 74
225-600-512 74
225-600-513 74
225-600-521 74
225-603-027 66
225-642-027 66
225-695-027 69
225-696-027 69
225-699-027 70
225-700-402 63
225-700-820 67
225-700-825 67
225-700-833 67
225-710-001 78
225-800-002 63
225-800-003 63
225-800-004 63
225-800-101 62
225-800-102 62
225-800-104 62
225-800-107 62
225-800-109 62
225-800-202 64
225-800-401 63
225-800-402 63
225-800-420 63
225-800-472 68
225-800-477 68
225-800-479 68
225-800-707 63
225-800-802 64
225-800-805 64
225-800-806 64
225-800-820 67
225-800-825 46, 50, 67
225-800-832 67
225-800-920 62
225-810-102 62
225-810-105 62
225-810-107 62
225-810-109 62
225-810-202 64
225-810-203 64
225-810-204 64
225-810-302 64
225-810-472 68
225-810-820 67
225-810-825 46, 50, 67
225-810-930 46, 62
225-810-955 64
225-810-957 64
225-820-100 69
225-830-920 62
225-850-000 46, 57
225-850-001 57
225-850-002 57
225-850-003 57
225-850-004 57
225-850-005 57
225-850-145 57
225-854-101 57
225-854-102 57
225-854-103 57
225-854-104 57
225-854-105 57
225-854-106 57
225-865-027 58
225-865-030 58
225-865-040 58
225-906-000 47, 81, 126
225-910-001 81, 126
225-910-002 81, 126
225-910-003 81, 126
225-999-001 43, 45
227-001-101 47, 79, 129
227-001-102 47, 79, 129
227-001-103 79, 129
227-001-110 79, 129
227-016-002 80, 130
227-016-003 80, 130
227-016-013 80, 130
227-016-103 80, 130
227-016-104 80, 130
227-016-113 80, 130
227-016-114 80, 130
230-330-008 20
230-330-012 20
230-330-016 20
230-330-020 20
250-015-036 122
250-025-230 124
250-025-300 124
250-035-180 124
250-035-230 124
250-035-300 124
250-037-000 124
250-039-000 124
250-040-000 124
250-041-000 124
250-042-000 124
250-044-000 124
250-048-000 124
250-048-130 124
250-048-230 124
250-048-300 124
250-051-000 124
250-052-000 124
250-059-000 124
252-027-185 13, 35
252-027-187 13, 35
252-031-120 18
252-035-150 17
252-040-150 17
252-050-150 17
252-127-000 13
252-127-030 13, 35
252-127-070 13
252-503-140 18
252-527-115 18
252-670-120 20
252-770-120 20
253-000-232 38
253-000-233 38
253-000-235 38
253-200-001 33
253-200-007 15, 33, 40
253-200-009 15, 40

253-200-011 40
253-200-075 40
253-200-128 9
253-200-228 9, 14
253-200-328 9
253-200-500 35
253-200-600 35
253-202-003 15, 34
253-204-003 15, 34
253-219-100 40
253-219-130 40
253-220-011 34
253-220-014 34
253-220-025 34
253-221-000 15, 33, 40
253-221-030 15, 33, 40
253-227-000 34
253-227-030 34
253-370-005 14, 35
253-370-103 31
253-370-253 15, 31
253-371-005 14
253-371-253 15
253-372-005 14, 35
253-570-005 31
253-580-007 31
253-583-006 31
253-585-005 30
253-585-185 30
253-585-187 30
253-585-235 30
253-585-237 30
253-750-010 132
253-750-100 131
253-750-150 132
253-750-200 132
253-804-012 38
253-850-005 132
253-850-006 132
253-850-010 132
253-850-016 132
253-850-020 132
253-850-025 132
253-900-205 27
253-900-206 27
253-900-245 27
253-900-246 27
253-905-400 35
253-905-540 37
253-910-540 37
253-915-540 37
253-940-005 28
253-951-005 25
253-953-005 25
253-955-005 25
253-957-005 25
253-959-005 25
253-960-013 30
253-960-019 30
253-960-360 27
253-961-102 13
253-962-003 30
300-000-100 125
300-001-161 133
300-001-162 133
300-001-183 16, 39
300-001-480 8, 116
300-001-601 47, 120
300-001-602 119
300-001-802 122
300-001-804 121
300-001-813 122
300-001-814 122
300-001-815 122
300-001-840 117, 118
300-001-841 118
300-001-999 134
300-002-001 134
300-006-305 91
300-006-455 91
300-008-335 91
300-011-179 9
300-011-181 58
300-011-506 58
300-011-515 9
300-012-106 100
300-012-116 100
300-012-121 100
300-014-711 100
300-020-015 96
300-020-020 96
300-020-211 99
300-020-255 99
300-020-711 99
300-020-755 99
300-021-305 100
300-021-310 100
300-021-355 100
300-023-100 108
300-023-255 99
300-023-711 99
300-023-755 99
300-023-905 58
300-030-004 108
300-065-000 110
300-069-000 110
300-091-100 89
300-091-130 89
300-091-145 89
300-091-170 89
300-091-430 89
300-091-433 89
300-092-100 89
300-092-130 89
300-097-100 89
300-097-130 89
300-099-006 90
300-099-106 90
300-100-400 88
300-100-430 88
300-112-035 95
300-144-002 93
300-144-004 93
300-144-005 93
300-144-006 93
300-145-003 93
300-145-004 93
300-145-005 93
300-145-006 93
300-152-011 99
300-152-012 99
300-152-055 99
300-155-400 88
300-155-430 88
300-166-100 92
300-172-003 92
300-172-005 92
300-172-010 92

300-172-253 92
300-173-003 92
300-173-253 92
300-192-000 91
300-192-003 91
300-192-005 91
300-192-010 91
300-192-253 91
300-193-303 108
300-193-305 108
300-193-330 108
300-193-335 108
300-193-405 108
300-193-410 108
300-195-100 100
300-195-120 100
300-195-150 100
300-195-170 100
300-195-200 100
300-195-300 100
300-195-320 100
300-195-350 100
300-195-370 100
300-200-400 88
300-200-430 88
300-220-011 95
300-220-013 95
300-220-055 95
300-220-111 95
300-220-113 95
300-220-155 95
300-220-211 95, 97
300-220-213 95, 97
300-220-255 95, 97
300-221-011 95
300-221-013 95
300-221-055 95
300-221-211 95, 97
300-221-213 95, 97
300-221-255 95, 97
300-222-011 96
300-222-013 96
300-222-055 96
300-222-211 96, 98
300-222-213 96, 98
300-222-255 96, 98
300-223-213 97
300-226-011 95
300-226-013 95
300-226-055 95
300-230-011 97
300-230-013 97
300-230-055 97
300-230-111 97
300-230-113 97
300-230-155 97
300-231-011 97
300-231-013 97
300-231-055 97
300-232-011 98
300-232-013 98
300-232-055 98
300-233-011 96, 98
300-233-013 96, 98
300-233-055 96, 98
300-233-211 96, 98
300-233-213 96, 98
300-233-255 96, 98
300-234-011 96, 98
300-234-013 96, 98
300-234-055 96, 98
300-234-211 96, 98
300-234-213 96, 98
300-234-255 96, 98
300-236-011 97
300-236-013 97
300-236-055 97
300-236-211 95, 97
300-236-213 95
300-236-255 95, 97
300-240-011 99
300-240-013 99
300-240-015 99
300-240-020 99
300-240-035 99
300-240-055 99
300-241-011 99
300-241-013 99
300-241-015 99
300-241-020 99
300-241-035 99
300-241-055 99
300-241-111 99
300-241-113 99
300-241-155 99
300-242-035 99
300-242-055 99
300-250-011 100
300-250-013 100
300-250-035 100
300-250-055 100
300-250-111 100
300-250-135 100
300-250-211 100
300-250-213 100
300-250-215 100
300-250-220 100
300-250-235 100
300-250-255 100
300-255-400 88
300-255-430 88
300-300-130 109
300-300-142 109
300-400-000 104
300-400-001 105
300-400-010 105
300-400-048 105
300-400-060 106
300-400-067 106
300-400-068 106
300-400-069 107
300-400-070 107
300-400-080 105
300-400-082 106
300-400-243 103
300-400-244 103
300-400-250 104
300-400-251 104
300-400-252 104
300-400-289 103
300-400-731 102
300-400-735 102
300-400-741 103
300-420-060 106
300-420-067 106
300-420-068 106
300-420-069 107
300-420-070 107

300-420-080 105
300-420-082 106
300-420-251 104
300-420-731 102
300-420-735 102
300-420-741 103
300-440-000 104
300-440-001 105
300-440-010 105
300-440-048 105
300-440-243 103
300-440-244 103
300-440-250 104
300-440-252 104
300-440-289 103
300-460-000 104
300-460-001 105
300-460-010 105
300-460-048 105
300-470-243 103
300-470-244 103
300-470-250 104
300-470-252 104
300-470-289 103
300-490-001 115
300-660-005 102
300-660-010 102
300-750-020 101
300-750-101 101 - 107
300-750-103 101 - 105
300-750-105 101 - 105
300-750-106 101
300-750-115 101
300-900-020 127
300-900-180 47, 123
300-902-003 127, 128
300-902-005 127, 128
300-902-006 127, 128
300-902-007 127, 128
300-902-008 128
310-901-120 29
310-902-160 29
310-903-160 29
310-904-180 29
310-906-230 29
310-907-120 29
310-907-160 29
310-908-160 29
310-909-230 29
310-930-120 29
310-930-180 29
310-931-230 29
310-935-120 29
310-935-180 29
310-937-120 29
310-937-160 29
310-937-180 29
310-937-230 29
310-944-120 29
310-944-180 29
310-945-160 29
310-945-230 29
310-952-120 29
310-952-180 29
310-953-160 29
310-953-230 29
310-954-230 29
310-960-120 29
310-961-160 29
310-962-160 29
310-962-180 29
310-963-180 29
310-963-230 29
310-964-180 29
310-964-230 29
310-965-230 29
310-970-230 28
310-971-120 28
310-971-230 28
310-972-180 28
310-973-230 28
310-981-180 28
310-981-230 28
310-982-180 28
310-982-230 28
310-983-230 28
351-100-105 14
351-107-107 17
351-107-307 17
351-114-105 14
351-116-335 25
351-117-335 25
351-120-105 14
351-120-335 25
410-005-000 9
410-210-085 10
410-330-000 10, 11
410-338-134 10
410-338-136 10
410-377-120 11
410-423-000 10
420-002-003 36
420-052-001 36
420-136-035 36
420-136-070 36
420-140-135 17
420-145-036 36
420-145-075 36
420-413-230 19
420-580-002 46, 50, 77
420-580-003 77
420-580-004 77
430-467-170 19
430-522-230 19
600-513-000 83
700-101-030 94
700-101-050 94
700-280-030 94
700-280-050 94
700-285-030 94
700-285-050 94
700-360-031 94
700-360-051 94
700-370-030 94
700-370-050 94
700-501-300 94
700-501-303 94
700-501-500 94
700-501-503 94